



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 17:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16618	GOKUL BASANT BOGATI	23	F	21.07.2020	Negative
C16619	ASHISH SURESH SANGLE	34	M	21.07.2020	Negative
C16620	YATHARTH A. SANGLE	5	M	21.07.2020	Negative
C16621	PRIYANKA A. SANGLE	32	F	21.07.2020	Negative
C16622	SHRISHA A. SANGLE	7	F	21.07.2020	Negative
C16623	RANJANA SURESH SANGLE	57	F	21.07.2020	Negative
C16624	SANGEETA MAHESH SANGLE	30	F	21.07.2020	Negative
C16625	KARTIK M. SANGLE	9	M	21.07.2020	Positive
C16626	SAGAR MULYE	45	M	21.07.2020	Negative
C16627	SWARANGI MULYE	20	F	21.07.2020	Negative
C16628	SAMEER MULYE	49	M	21.07.2020	Negative
C16629	PRAKASH SAWANT	46	M	21.07.2020	Negative
C16630	ARVIND PARSHURAM KONDE	62	M	21.07.2020	Negative
C16631	ALKA ARVIND KONDE	47	F	21.07.2020	Negative
C16632	DWITIYA ARVIND KONDE	23	F	21.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	20/07/2020 16:45 pm
Date and time of reporting (dd/mm/yyyy)	21/07/2020 17:47 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16633	ONKAR ARVIND KONDE	20	M	21.07.2020	Negative
C16634	DEEPAK OMANAKUTTAN PANIKAR	24	M	21.07.2020	Negative
C16635	DEEPAESH O. PANIKAR	19	M	21.07.2020	Negative
C16636	VIJAYA RAVI SHETTY	56	F	21.07.2020	Negative
C16637	SOHAM MULYE	15	M	21.07.2020	Negative
C16638	KUBJARANI GHANTI	65	F	21.07.2020	Negative
C16639	SUPRIYA SUDHAKAR KANEKAR	43	F	21.07.2020	Negative
C16640	SAURABH SUDHAKAR KANEKAR	23	M	21.07.2020	Negative
C16641	SUCHITA SUDHAKAR KANEKAR	26	F	21.07.2020	Negative
C16642	RAMESH SHETTY	61	M	21.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)