



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	13/07/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	14/07/2020 19:18 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14921	POMPA AJIT DAS	37	F	14.07.2020	Negative
C14922	RAJU AJIT DAS	28	M	14.07.2020	Negative
C14923	TUSHAR AJIT DAS	17	M	14.07.2020	Negative
C14924	MEGHANA MOHAN SHINDE	54	F	14.07.2020	Negative
C14925	MANGESH MOHAN SHINDE	31	M	14.07.2020	Negative
C14926	SHREYA SANDEEP MANE	14	F	14.07.2020	Negative
C14927	DIPALI SANDEEP MANE	35	F	14.07.2020	Negative
C14928	SANDEEP SUBHASH MANE	41	M	14.07.2020	<b>Positive</b>
C14929	SANJAY SUBHASH MANE	39	M	14.07.2020	Negative
C14930	SARTHAK SANDEEP MANE	8	M	14.07.2020	Negative
C14931	SHOBHA SUBHASH MANE	60	F	14.07.2020	Negative
C14932	AUM SANJAY MANE	8	M	14.07.2020	Negative
C14933	NEELAM SANJAY MANE	33	F	14.07.2020	Negative
C14934	AATISH MANOJ GUPTA	19	M	14.07.2020	Negative
C14935	SHIKHAR MANOJ GUPTA	13	M	14.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	13/07/2020 16:30 pm
Date and time of reporting (dd/mm/yyyy)	14/07/2020 19:18 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14936	NEHA MANOJ GUPTA	20	F	14.07.2020	Negative
C14937	GEETA MANOJ GUPTA	40	F	14.07.2020	Negative
C14938	RAMJI BAVJI PATEL	85	M	14.07.2020	<b>Positive</b>
C14939	HEMANT RAMJI PATEL	45	M	14.07.2020	<b>Positive</b>
C14940	DILIP RAMJI PATEL	47	M	14.07.2020	<b>Positive</b>
C14941	SHERA KALU VISHWAKARMA	30	M	14.07.2020	Negative
C14942	BASANT VISHWAKARMA	6	M	14.07.2020	Negative
C14943	JALUSING VISHWAKARMA	40	F	14.07.2020	Negative
C14944	TISHA RAMESH DAS	16	F	14.07.2020	Negative
C14945	DEEPALI RAMESH DAS	43	F	14.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)