



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 15:09 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14401	VAIBHAVI GHAG 1730	57	F	12.07.2020	Negative
C14402	KALAPNA DILIP PONGE 504	40	F	12.07.2020	Negative
C14403	SUJAY SHIRKE 1411	15	M	12.07.2020	Negative
C14404	SHALINI SHIRKE 1430	16	F	12.07.2020	Negative
C14405	SANKET KALE 613	17	M	12.07.2020	Negative
C14407	UMESH PATIL 1608	22	M	12.07.2020	Negative
C14406	GANESH BHALE 420	40	M	12.07.2020	Positive
C14408	AAKSHATA SONAWANE 1705	34	F	12.07.2020	Negative
C14409	SANTOSH GUPTA 902	38	M	12.07.2020	Negative
C14410	CHAYYA KANDAGLE 2233	45	F	12.07.2020	Negative
C14411	SHIVAM KANDAGLE 2234	30	M	12.07.2020	Negative
C14412	PRAJAKTA BAHIRE 920	36	F	12.07.2020	Negative
C14413	RAJENDRA NAGARKAR 309	43	M	12.07.2020	Negative
C14414	RAVINDRA NAGARKAR 308	45	M	12.07.2020	Negative
C14415	RAJASHREE NAGARKAR 303	42	F	12.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 15:09 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14416	AARTI NAGARKAR 301	39	F	12.07.2020	Negative
C14417	SAURABH GUPTA 918	16	M	12.07.2020	Negative
C14418	SATISH GUPTA 915	27	M	12.07.2020	Negative
C14419	KANCHAN GUPTA 901	25	F	12.07.2020	Negative
C14420	HEMANT DHANGAR 1607	24	M	12.07.2020	Negative
C14421	UMAGI KANDAGALE 2227	29	M	12.07.2020	Negative
C14422	PRANAV SUNIL KALSE 1229	17	M	12.07.2020	Negative
C14423	KAUSTUBH KALSE 1229	15	M	12.07.2020	Negative
C14424	PRASHANT SUTAR 702	38	M	12.07.2020	Negative
C14428	RAJENDRA SUTAR 708	36	M	12.07.2020	Negative
C14429	URMILA SUTAR 703	62	F	12.07.2020	Negative
C14430	PRACHI SUTAR 704	37	F	12.07.2020	Negative
C14431	SANTOSH LOKHANDE 1026	36	M	12.07.2020	Negative
C14432	KAVITA LOKHANDE 1027	35	F	12.07.2020	Negative
C14433	SANDEEP GANPAT LOKHANDE 1016	34	M	12.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/07/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 15:09 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14434	MEENA PRADHAN 330	62	F	12.07.2020	Negative
C14435	SONALI PATIL 316	33	F	12.07.2020	Negative
C14436	NIDHI MISHRA 419	27	F	12.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)