



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 12:35 pm
Date and time of reporting (dd/mm/yyyy)	20/09/2020 12:31 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30908	KAUSTUBH PANDHARINATH AAGIWALE	5	M	20.09.2020	Inconclusive (Repeat Fresh Sample)
C31128	KALURAM HEMA BHAVARTHE	42	M	20.09.2020	Negative
C31129	BHAGWAN ANANTA FARDE	39	M	20.09.2020	Negative
C31130	DIPESH GOKUL VISAVE	25	M	20.09.2020	Positive
C31155	RAMCHANDRA GOVIND VEKHADE	47	M	20.09.2020	Negative
C31131	SUMAN DAJI WAGHMARE	65	F	20.09.2020	Negative
C31132	NITIN MAHADU GADEKAR	35	M	20.09.2020	Negative
C31133	ARVIND LAHU VISHE	58	M	20.09.2020	Negative
C31134	RAVINDRA NAMDEV BHOIR	48	M	20.09.2020	Negative
C31135	DINESH BALKRUSHNA GHODVINDE	36	M	20.09.2020	Negative
C31136	DIKSHA DINESH GHODVINDE	36	F	20.09.2020	Negative
C31137	VANITA HARISHCHANDRA MALI	38	F	20.09.2020	Negative
C31138	PRACHI HARISHCHANDRA MALI	15	F	20.09.2020	Negative
C31139	PRASAD HARISHCHANDRA MALI	9	M	20.09.2020	Negative
C31140	SHLOK LAHU MALI	9	M	20.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 12:35 pm
Date and time of reporting (dd/mm/yyyy)	20/09/2020 12:31 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31142	SAKSHI VINAYAK DIWANE	14	F	20.09.2020	Negative
C31143	CHIRAG ANKUSH RATHOD	21	M	20.09.2020	Negative
C31145	SUREKHA SURESH RANDIVE	45	F	20.09.2020	Negative
C31146	SUSHIL SUDHAKAR KABADI	24	M	20.09.2020	Negative
C31147	MANISHA BHALCHANDRA KOLEKAR	34	F	20.09.2020	Negative
C31148	RAMCHANDRA BHIKAJI SAVANT	47	M	20.09.2020	Negative
C31149	JYOTSNA MAHESH PATIL	25	F	20.09.2020	Negative
C31150	VINAYAK LAXMAN DIWANE	47	M	20.09.2020	Negative
C31151	INDU VINAYAK DIWANE	40	F	20.09.2020	Negative
C31152	SAMIR VINAYAK DIWANE	12	M	20.09.2020	Negative
C31153	BHIVA LADAKU DUMADA	48	M	20.09.2020	Negative
C31154	DIKSHA PRAMOD SASE	13	F	20.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)