



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	26/08/2020 12:15 pm
Date and time of reporting (dd/mm/yyyy)	27/08/2020 14:22 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23514	SADHANA SAWANT 4494/ AY-47	50	F	27.08.2020	Negative
C23515	Dr. ROHIT A-163	32	M	27.08.2020	Negative
C23516	UJWALA VIKRAM CHEULKAR N-2356	35	F	27.08.2020	Negative
C23517	SHANTILAL SAJAN SAWANT 14715/ A-2355	44	M	27.08.2020	Negative
C23518	VISHAL MADHAV DAHIKAMBLE 14709/ A-2354	16	M	27.08.2020	Negative
C23519	SURAJ DEEPAK JAVALEKAR 14710/ A-2351	24	M	27.08.2020	Negative
C23520	GOVIND PUNA RATHOD 14708/ A-2349	40	M	27.08.2020	Negative
C23521	SAYED AKHTAR AMIR ALI 43179/ A-2347	54	M	27.08.2020	Negative
C23522	MANALI SHYAM SAWANT 14703/ A-2343	53	F	27.08.2020	Negative
C23523	UTTAM BHIKA PAWAR 14693/ A-2333	65	M	27.08.2020	Negative
C23524	RAVJEE DAMU WAYKAR 14694/ A-2332	55	M	27.08.2020	Negative
C23525	AJAY DATTARAM SAWANT 14692/ A-2331	32	M	27.08.2020	Negative
C23526	DHANASHREE BHUSHAN PATANKAR 14687/ A-2327	30	F	27.08.2020	Negative
C23527	JYOTI MANGESH MHATRE 14686/ A-2324	30	F	27.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)