

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/08/2020 16:15 pm		
Date a time of receipt of epocimen (aa/min/yyyy)	11/00/2020 10:10 pill		
Date and time of reporting (dd/mm/yyyy)	12/08/2020 16:56 pm		
Date and time of reporting (dayning)	12/00/2020 10:00 pill		
SPECIMEN DETAILS	Nasopharyngeal Swab		
OI EGIMEN DETAILS	Masophar yrigear owab		
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA		
NAME OF QUARANTINE CENTER / HOSFITAL	C.R.WADIA		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C21190	DATTA SADASHIVRAO THAKARE 712/W-1890	74	М	12.08.2020	Negative
C21191	POONAM SANDEEP GADVE 724/ W- 1904	38	F	12.08.2020	Positive
C21192	VANITA GOGAVALE 713/ W-1894	37	F	12.08.2020	Negative
C21193	KAVYA PRASAD THAKUR W-1908	7	F	12.08.2020	Negative
C21194	MOTILAL SIDDHARAM JADHAV 720 /W-1891	68	M	12.08.2020	Negative
C21195	BHAGYASHREE THAKARE 710/ W- 1893	33	F	12.08.2020	Negative
C21196	RESHMA NAVNATH THORVE 732/ W- 1909	26	F	12.08.2020	Negative
C21197	ADESH NAVNATH THORAVE W-1911	7	М	12.08.2020	Negative
C21198	SWARA NAVNATH THORAVE W-1912	3	F	12.08.2020	Negative
C21199	AJAY SHAH WX-548	58	М	12.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)