

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	17/09/2020 11:45 am		
Date and time of reporting (dd/mm/yyyy)	19/09/2020 12:53 pm		
SPECIMEN DETAILS	Nasopharyngeal Swab		
NAME OF QUARANTINE CENTER / HOSPITAL	SAHYADRI ISOLATION CENTER, KALWA		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30878	RAJASHREE D. CHITRE	52	F	19.09.2020	Negative
C30877	SHEFALI NITIN SURVE	21	F	19.09.2020	Negative
C30880	SUDHIR JANARDAN KASAR	72	М	19.09.2020	Negative
C30875	TRUPTI SUDHIR KASAR	32	F	19.09.2020	Negative
C30873	MANAV SHANKAR MAHAMUNI	13	М	19.09.2020	Negative
C30884	CHANDRATRY SUBRAY	65	М	19.09.2020	Negative
C30004	GAVKAR				
C30882	ROHAN RAJEEV KOMURLEKAR	28	М	19.09.2020	Negative
C30874	ViJAYA KOMURLEKAR	46	F	19.09.2020	Negative
C30883	MAYUR DATTATRAY PATEL	36	М	19.09.2020	Negative
C30879	ASHA BHARATI PATIL	24	F	19.09.2020	Negative
C30876	AMIT RAMCHANDRA	36	М	19.09.2020	Negative
	SONAWANE				
C30881	RAJEEV D. KOMURLEKAR	60	М	19.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D