

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/06/2020 12:15 pm	
Date and time of reporting (dd/mm/yyyy)	23/06/2020 20:13 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10186	DATTATRAY RASHE	42	М	23.06.2020	Negative
C10185	ANITA MANEKAR	42	F	23.06.2020	Negative
C10184	SATISH DALAL	58	M	23.06.2020	Negative
C10183	SANJANA MALI	38	F	23.06.2020	Negative
C10182	PRAMOD SINGH	40	М	23.06.2020	Negative
C10181	MARUTI JADHAV	61	M	23.06.2020	Negative
C10180	SANTOSH RAJA	37	М	23.06.2020	Negative
C10179	SANTOSH SALUNKE	26	M	23.06.2020	Negative
C10178	BHIMA MALLAYA	60	M	23.06.2020	Negative
C10177	PUSHPA MORE	45	F	23.06.2020	Negative
C10176	KUNDA SHEIKH	56	F	23.06.2020	Negative
C10175	KALPANA LAD	45	F	23.06.2020	Negative
C10174	PRABHAKAR PARAB	70	M	23.06.2020	Negative
C10173	RASHMI PARAB	70	F	23.06.2020	Negative
C10172	SHANKAR SATHE	36	M	23.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)