



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/07/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	07/07/2020 12:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13254	MANORAMA VISHWAKARMA 506	40	F	07.07.2020	Negative
C13255	RAJENDRA PRASAD 527	58	M	07.07.2020	Positive
C13256	MANISHA BHILARE 533	55	F	07.07.2020	Positive
C13257	MANGAL SALUNKHE 419	60	F	07.07.2020	Negative
C13258	MOHAN SHANKARAO INGALE 2223	40	M	07.07.2020	Negative
C13259	KANTA ABHYANKAR 325	49	F	07.07.2020	Negative
C13260	ARUNA KHAMBAYAT 818	55	F	07.07.2020	Negative
C13261	SHANTARAM KHAMBAYAT 818	60	M	07.07.2020	Negative
C13262	MANDA GORADE 509	60	F	07.07.2020	Negative
C13263	JEEVAN JYOT 2203	30	M	07.07.2020	Negative
C13264	YASHODHA SALUNKHE 418	29	F	07.07.2020	Positive
C13265	SUDHAKAR MORE 517	45	M	07.07.2020	Negative
C13266	PRAKASH RAUT 519	40	M	07.07.2020	Negative
C13267	YASHWANT DESHPANDE 1520	57	M	07.07.2020	Positive
C13268	DAIVEL NATHI 1210	54	M	07.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/07/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	07/07/2020 12:51 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13269	SITABAI SHELAR 1929	55	F	07.07.2020	Negative
C13270	KAMAL PATIL 306	65	F	07.07.2020	Negative
C13271	NAVNATH KIRDATTA 328	36	M	07.07.2020	Negative
C13272	ANITA KASRUNG 428	42	F	07.07.2020	Negative
C13273	OMKAR YADAV 2010	20	M	07.07.2020	Negative
C13274	GANESH SALUNKHE 423	37	M	07.07.2020	Negative
C13275	RAKESH LENDE 709	37	M	07.07.2020	Positive
C13276	ROHINI PAWAR 413	62	F	07.07.2020	Negative
C13277	SUNITA PAWAR 624	58	F	07.07.2020	Negative
C13278	KALPANA MANE 2422	40	F	07.07.2020	Negative
C13279	SAJAN MUKANE 1726	25	M	07.07.2020	Negative
C13280	LILABAI BANGAR 830	54	F	07.07.2020	Negative
C13281	SUSHILABAI MANE 2425	74	F	07.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)