



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	21/08/2020 12:00 pm
Date and time of reporting (dd/mm/yyyy)	21/08/2020 17:01 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	SAHYADRI ISOLATION CENTER, KALWA


Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22838	JYOTI VIJAYKUMAR BHAYAR	39	F	21.08.2020	Negative
C22839	VARSHA SUHAS KAMBLE	34	F	21.08.2020	Negative
C22840	PRIYANKA RAVINDRA KOKCHA	25	F	21.08.2020	Negative
C22841	RAMA RAVINDRA KOKCHA	51	F	21.08.2020	Negative
C22842	KRUSHNANATH DNYANDEV ADHATRAV	23	M	21.08.2020	Negative
C22843	RAHUL SHIVAJI SONKAR	28	M	21.08.2020	Negative
C22844	BHALCHANDRA GANGARAM SAWANT	62	M	21.08.2020	Negative
C22845	JAYASHREE VITTHAL PARAB	57	F	21.08.2020	Negative
C22846	RAVINDRA NATHMAL KOKCHA	53	M	21.08.2020	Negative
C22847	LAXMI BHALCHANDRA SAWANT	59	F	21.08.2020	Negative
C22848	RUPESH HARISCHANDRA THAKRE	40	M	21.08.2020	Negative
C22849	SAPNA VIVEK CHANDRA	42	F	21.08.2020	Negative
C22850	BHIVSAN MATIRAM VASAIKAR	64	M	21.08.2020	Negative
C22851	KISHORI KISHOR BAGUL	47	F	21.08.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)