

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 13:25 pm	
Date and time of reporting (dd/mm/yyyy)	27/09/2020 20:16 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32859	VAISHALI CHAUDHARI 1685	47	F	27.09.2020	Negative
C32849	DEEPAK RAMESH TAYADE 4460	27	М	27.09.2020	Negative
C32850	BHAVANI IYER 4459	55	F	27.09.2020	Negative
C32851	BHAGYASHREE AMAR MHATRE 4457	24	F	27.09.2020	Negative
C32852	OSCAR FERNANDIS 4454	71	M	27.09.2020	Positive
C32853	MOSAMKHAN ANVAR IRANI (MOHSIN) 4452	31	M	27.09.2020	Negative
C32854	VISHAL DHURA CHAUDHARI 4442	25	M	27.09.2020	Negative
C32855	SANJAY GURUNATH JADHAV 4441	30	M	27.09.2020	Negative
C32856	RAGHUNATH PARAB 5022	71	M	27.09.2020	Negative
C32857	DR.SHEETAL ABASAHEB CHAVAN	26	F	27.09.2020	Negative
C32858	MANISHA RAMDAS CHAUDHARY	40	F	27.09.2020	Negative
C32888	SURESCHANDRA KANU SAWANT	78	М	27.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- · Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Verified by

Shawo

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Dr. Shalmali Dharma Ph. D