



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	07/07/2020 13:25 pm
Date and time of reporting (dd/mm/yyyy)	08/07/2020 15:22 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13511	PRAKASH MORE 403	59	M	08.07.2020	Negative
C13518	VINOD RAJENDRA SINGH 410	38	M	08.07.2020	Negative
C13519	SHER BAHADUR AYYER 410	45	M	08.07.2020	Negative
C13522	SAGAR MORE 411	32	M	08.07.2020	Negative
C13524	UMESH KIRTEKAR 413	45	M	08.07.2020	Negative
C13513	RAJENDRA MALI 404	29	M	08.07.2020	Negative
C13512	YOGESH ANDHURE 404	31	M	08.07.2020	<b>Positive</b>
C13520	LALIT JAYKAR 410	28	M	08.07.2020	Negative
C13523	FULCHAND HAVSALMAN 415	58	M	08.07.2020	Negative
C13510	SHUBHAM YADAV 402	21	M	08.07.2020	Negative
C13527	PRASHANT SURYAWANSHI 301	12	M	08.07.2020	<b>Positive</b>
C13509	UDDESH PADWAL 402	22	M	08.07.2020	Negative
C13530	SANGEETA DHUMALE 304	44	F	08.07.2020	Negative
C13508	GOLAB MUJUMDAR 401	42	M	08.07.2020	Negative
C13514	SADANAND BHUWAD 409	54	M	08.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	07/07/2020 13:25 pm
Date and time of reporting (dd/mm/yyyy)	08/07/2020 15:22 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13528	LEENA TAMBE 301	42	F	08.07.2020	Negative
C13515	EKNATH RAMANE 409	59	M	08.07.2020	Negative
C13516	MARUTI KOLI 409	48	M	08.07.2020	<b>Positive</b>
C13525	ARUN SALUNKHE 415	66	M	08.07.2020	Negative
C13532	MANDA BHUWAD 310	48	F	08.07.2020	Negative
C13531	ANITA KAMBLE 310	50	F	08.07.2020	Negative
C13533	SANGITA KOLAPATE 310	45	F	08.07.2020	Negative
C13517	BAPU HARI KADAM 410	68	M	08.07.2020	<b>Positive</b>
C13526	ASHOK KAMBLE 415	68	M	08.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)