



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 17:05 pm
Date and time of reporting (dd/mm/yyyy)	05/09/2020 15:59 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25475	AKASH LAHANE	24	M	05.09.2020	Negative
C25476	TRUPTI LAHANE	45	F	05.09.2020	Negative
C25477	SUJATA J. DUBEY	34	F	05.09.2020	Negative
C25478	SUJAL N. JONDHALE	16	M	05.09.2020	Negative
C25479	WASIM KHAN	37	M	05.09.2020	Negative
C25480	SANJAY MANE	50	M	05.09.2020	Negative
C25481	MARUTI B. BATWAL	61	M	05.09.2020	Negative
C25482	BHAVESH BORIKAR	34	M	05.09.2020	Negative
C25483	SOURABH MORE	21	M	05.09.2020	Negative
C25484	RAMESH GAYAKWAD	64	M	05.09.2020	Negative
C25485	JANARDHAN KAMBLE	57	M	05.09.2020	Negative
C25486	PURSHOTTAM SONAVNE	41	M	05.09.2020	Negative
C25487	ANIVRUDDHA SINGH	72	M	05.09.2020	Negative
C25488	DASHRAT YADAV	22	M	05.09.2020	Negative
C25489	RAJESHKUMAR CHAVAN	37	M	05.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 17:05 pm
Date and time of reporting (dd/mm/yyyy)	05/09/2020 15:59 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25490	SANJAY RANE	55	M	05.09.2020	Negative
C25491	KIRAN P. SINGH	32	F	05.09.2020	Negative
C25492	MOHAN SALTE	35	M	05.09.2020	Negative
C25493	KRISHNARAO KARADA	48	M	05.09.2020	Negative
C25494	MAHANDAR NISHAD	41	M	05.09.2020	Negative
C25495	MARUTI NAIK	60	M	05.09.2020	Negative
C25496	ARUNESH KUMAR	22	M	05.09.2020	Negative
C25497	SAFI AHMAD KHAN	29	M	05.09.2020	Negative
C25498	AASIYA KHAN	26	F	05.09.2020	Negative
C25499	TULSI KARADA	45	F	05.09.2020	Negative
C25500	SIVAM KUMAR	22	M	05.09.2020	Negative
C25501	GOUTAM KARADA	28	M	05.09.2020	Negative
C25502	RAJKUMAR RAJBHAR	35	M	05.09.2020	Negative
C25503	MEENA RAJBHAR	33	F	05.09.2020	Negative
C25504	MANISHA RAJBHAR	10	F	05.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)




NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 17:05 pm
Date and time of reporting (dd/mm/yyyy)	05/09/2020 15:59 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25505	SURENDRA KUMAR PRAJAPATI	17	M	05.09.2020	Negative
C25506	LAVKUSH PRAJAPATI	19	M	05.09.2020	Negative
C25507	SUMERA PRAJAPATI	55	M	05.09.2020	Negative
C25508	SANTOSH YADAV	22	M	05.09.2020	Negative
C25509	SHESHNATH YADAV	31	M	05.09.2020	Negative
C25510	NITU YADAV	25	F	05.09.2020	Negative
C25511	RANJIT YADAV	30	M	05.09.2020	Negative
C25512	RAM PAL	28	M	05.09.2020	Negative
C25513	RAMBHILASH BIND	35	M	05.09.2020	Negative
C25514	MUNNA CHAVAN	31	M	05.09.2020	Negative
C25515	RAMKISHUN	40	M	05.09.2020	Negative
C25516	MANISH YADAV	21	M	05.09.2020	Negative
C25517	GULAB RAJBHAR	16	M	05.09.2020	Negative
C25518	RADHE SHAYM RAJBHAR	42	M	05.09.2020	Negative
C25519	SANJAYKUMAR YADAV	21	M	05.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/09/2020 17:05 pm
Date and time of reporting (dd/mm/yyyy)	05/09/2020 15:59 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C25520	SUNITA LAHANE	69	F	05.09.2020	Negative
C25521	AYUDESH PATEL	43	M	05.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)