



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	27/07/2020 18:25 pm
Date and time of reporting (dd/mm/yyyy)	28/07/2020 17:19 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18252	GANESH GURUNATH GAIKWAD 2206	31	M	28.07.2020	Inconclusive (Repeat Fresh Sample)
C18253	ANKITA SANJAY DONGARE	22	F	28.07.2020	<b>Positive</b>
C18254	RAHUL ASHOK SHELAR	22	M	28.07.2020	Negative
C18255	REKHA RAVINDRA GHARAT	50	F	28.07.2020	<b>Positive</b>
C18256	ASHISH ASHOK BHARADE	24	M	28.07.2020	<b>Positive</b>
C18257	SAINATH NAMDEV CHAUDHARI	46	M	28.07.2020	<b>Positive</b>
C18258	DIVKAR DINKAR MURDNAR	36	M	28.07.2020	<b>Positive</b>
C18259	KOMAL JAGANRAO BORSE	22	F	28.07.2020	Negative
C18260	SHEKHAR KACHRU BHAGAT	45	M	28.07.2020	<b>Positive</b>
C18261	HEMANT PRAKASH GANJAVE	37	M	28.07.2020	Negative
C18262	PARVATI GURUNATH GAIKWAD	53	F	28.07.2020	Negative
C18263	SAHEBRAO JIJABA ADHAV	63	M	28.07.2020	<b>Positive</b>
C18264	POONAM PRAKASH MANORE	33	F	28.07.2020	Negative
C18265	KAVITA SANTOSH PAGARE	37	F	28.07.2020	<b>Positive</b>
C18266	SAMIKSHA SANDIP THAKARE	35	F	28.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	27/07/2020 18:25 pm
Date and time of reporting (dd/mm/yyyy)	28/07/2020 17:19 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18267	MAYURI DHANJAY DESHMUKH	22	F	28.07.2020	Negative
C18268	LAXMAN BALARAM THAKARE	38	M	28.07.2020	Negative
C18269	YASH DILIP JAGDALE	21	M	28.07.2020	Negative
C18270	VANDANA PANKAJ UMBERSADA	35	F	28.07.2020	Negative
C18271	MUKESH RAMCHANDRA UBALÉ 2212	36	M	28.07.2020	Negative
C18272	AADITI BHAU MALVE 2202	19	F	28.07.2020	Positive

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)