



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/09/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	03/09/2020 17:55 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24955	KAMLAKAR KANHAIYYA GUPTA 2649/A - 2649	45	M	03.09.2020	Inconclusive (Repeat Fresh Sample)
C24956	SAMEER SHIVAJI NAIK 14977/A - 2650	26	M	03.09.2020	Negative
C24957	SUPRIYA MARUTI PEDNEKAR 14976/A - 2652	26	F	03.09.2020	Negative
C24958	SINDHU BALU PINGLE 14946/A - 2654	52	F	03.09.2020	Negative
C24959	MAHENDRA BHIVA JADHAV 14978/A - 2656	45	M	03.09.2020	Negative
C24960	ABHIJEET JANARDHAN DHOBAL 14979/A - 2658	36	M	03.09.2020	Negative
C24961	SHRIKANT SHIVAJI DHARGUDE 14981/A - 2659	33	M	03.09.2020	Negative
C24962	VASUDHA SHUBH SAGAR 14983/A - 2661	45	F	03.09.2020	Negative
C24963	ASHOK GODAVARI PANDA 14984/A - 2662	41	M	03.09.2020	Negative
C24964	ANIL PRAKASH SHINDE 19508/A - 2663	45	M	03.09.2020	Negative
C24965	AVINASH RAJESH ANKUSH 18250/A - 2664	18	M	03.09.2020	Negative
C24966	MITESH RAMKRUSHANA SAWANT 14985/A - 2665	27	M	03.09.2020	Inconclusive (Repeat Fresh Sample)
C24967	KAILAS DATTATRAY CHIPLUNKAR 14993/A - 2672	46	M	03.09.2020	Negative
C24968	AAKASH MANOJ PARMAR 14991/A - 2671	23	M	03.09.2020	Negative
C24969	SANTOSH MAHADEO VEER 14994/A - 2672	44	M	03.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

Verified by
Dr. Shalmali Dharma Ph. D

Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/09/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	03/09/2020 17:55 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C24970	DR. KAILASH MARASKOLHE 44166	47	M	03.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)