



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 18:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29720	DEVENDRA KALURAM PARADHI	17	M	15.09.2020	Positive
C29719	NAVNATH SHANTARAM LONE	34	M	15.09.2020	Negative
C29718	RANGNATH SUBHASH LONE	27	M	15.09.2020	Positive
C29717	BHUSHAN HARISHCHANDRA SHETTY	36	M	15.09.2020	Negative
C29716	MANVENDRA SURYAJI MANE	40	M	15.09.2020	Negative
C29715	SAGAR VITTHAL DINGORE	30	M	15.09.2020	Negative
C29714	SATISH TANAJI PATIL	35	M	15.09.2020	Negative
C29713	AMIT VASANT CHANDAN	43	M	15.09.2020	Negative
C29712	BHUSHAN VITTHAL GHANVAT	24	M	15.09.2020	Negative
C29711	BHAGYODAY DATTATRAY PARDESHI	42	M	15.09.2020	Negative
C29710	PRASHANT TUKARAM FATANGANE	30	M	15.09.2020	Negative
C29709	JAGRUTI KANTILAL BHOIR	16	F	15.09.2020	Negative
C29708	DIKSHA RAVINDRA VISHE	12	F	15.09.2020	Negative
C29707	KARTIK RAVINDRA VISHE	10	M	15.09.2020	Negative
C29706	PRATIKSHA RAVINDRA VISHE	15	F	15.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 18:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29705	SACHIN TOKARAM PANSARE	43	M	15.09.2020	Positive
C29704	RAJSHRI RAVINDRA VISHE	36	F	15.09.2020	Negative
C29703	PALLAVI RAVINDRA VISHE	17	F	15.09.2020	Negative
C29702	ANITA MANOHAR BANGAR	48	F	15.09.2020	Inconclusive (Repeat Fresh Sample)
C29701	RAHUL MANOHAR BANGAR	30	M	15.09.2020	Positive
C29700	AKSHATA KUNAL AGRAWAL	10	F	15.09.2020	Negative
C29699	MITESH KUNAL AGRAWAL	8	M	15.09.2020	Positive
C29698	VIJAY YASHWANT BANGAR	30	M	15.09.2020	Positive
C29697	NIKITA KUNAL AGRAWAL	31	F	15.09.2020	Negative
C29696	DARSH VISHAL AGRAWAL	8	M	15.09.2020	Negative
C29695	SNEHA VISHAL AGRAWAL	31	F	15.09.2020	Negative
C29694	ANUSKA VISHAL AGRAWAL	10	F	15.09.2020	Positive
C29693	VISHAL KANTILAL AGRAWAL	38	M	15.09.2020	Negative
C29692	VAIBHAV MANOHAR PISAT	30	M	15.09.2020	Positive
C29691	DIPTI KIRAN KHANDAGADE	14	F	15.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 18:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29690	KANCHAN KAILAS VEKHANDI	36	F	15.09.2020	Negative
C29689	KOMAL KIRAN KHANDAGALE	38	F	15.09.2020	Positive
C29688	NIKIL KIRAN KHANDAGALE	18	M	15.09.2020	Positive
C29687	PUNAM JAYWANT VARKUTE	32	F	15.09.2020	Negative
C29686	KAUSHIK SAMANTA	47	M	15.09.2020	Positive
C29685	M D JUNAID	43	M	15.09.2020	Negative
C29684	SATYAPATI RAJU ARRARAO MATURI	32	M	15.09.2020	Negative
C29683	TANUJA TANAJI BARDE	32	F	15.09.2020	Negative
C29682	SWAPNIL BHAU BARDE	29	M	15.09.2020	Negative
C29681	MANDABAI CHINTAMANI SARPOT	54	F	15.09.2020	Negative
C29680	DR. DNYANESHWER DILIP RAUT	37	M	15.09.2020	Positive
C29679	PANDHARINATH SHIVRAM BHADANGE	40	M	15.09.2020	Negative
C29678	HIRAJI BHASKAR VEKHANDI	42	M	15.09.2020	Positive
C29677	SANJAY BALKRUSHNA NANDE	45	M	15.09.2020	Positive
C29676	VINAYAK ASHOK WARGHADE	31	M	15.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	15/09/2020 18:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C29675	EKNATH KRUSHNA GODADE	62	M	15.09.2020	Positive
C29674	JAYKUMAR NARAYAN AAWAR	27	M	15.09.2020	Positive
C29673	NANDKUMAR NARAYAN AAWAR	31	M	15.09.2020	Negative
C29672	NARAYAN BHAU AAWAR	58	M	15.09.2020	Positive
C29671	VASHNVI RAMCHANDRA VISHE	9	F	15.09.2020	Negative
C29670	JAYSHRI RAMCHANDRA VISHE	12	F	15.09.2020	Negative
C29669	RANJANA DAMU VISHE	57	F	15.09.2020	Negative
C29668	RESHMA RAMCHANDRA VISHE	34	F	15.09.2020	Negative
C29667	ROHAN RAMCHANDRA VISHE	14	M	15.09.2020	Positive
C29666	LATA NARAYAN PARDHI	40	F	15.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)