



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	10/07/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 15:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14373	ARUN P. RASAL	32	M	12.07.2020	Negative
C14374	HARSHAL PAWAR	24	M	12.07.2020	Negative
C14375	ANANTA GANPAT PANDIT	51	M	12.07.2020	Negative
C14376	SANDIP KUNDLIK PAWAR	33	M	12.07.2020	Negative
C14377	MAHENDRA MUKUND PAWAR	42	M	12.07.2020	Negative
C14378	NARAYAN PANDURANG MHARSE	63	M	12.07.2020	Positive
C14379	DINESH YESHWANT MHARSE	29	M	12.07.2020	Negative
C14380	DEEPAK BHAGWAN PAWAR	32	M	12.07.2020	Positive
C14381	KIRAN NARAYAN MHADSE	30	M	12.07.2020	Positive
C14382	LAXMAN KESHAV SASE	33	M	12.07.2020	Positive
C14383	SANDEEP GANPAT DETHE	3	M	12.07.2020	Negative
C14384	KANTABAI KATHOD DETHE	62	F	12.07.2020	Negative
C14385	KATHOD GANPAT DETHE	65	M	12.07.2020	Negative
C14386	RUPESH MADHUKAR GHUDE	28	M	12.07.2020	Negative
C14387	SAGAR MARUTI GHUDE	23	M	12.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	10/07/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	12/07/2020 15:03 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14388	MARUTI MALOJI GHUDE	47	M	12.07.2020	Negative
C14389	GUDDI ANANTA, NIRGHUDA	25	F	12.07.2020	Positive
C14390	KAVITA KUNDALIK UGHADE	46	F	12.07.2020	Positive
C14391	BHIMABAI ANANTA NIRGHUDA	45	F	12.07.2020	Positive
C14392	ANITA ANIL UGHADE	45	F	12.07.2020	Negative
C14393	PRAVIN RAMCHANDRA DALVI	35	M	12.07.2020	Positive
C14394	PRANAVI PRAVIN DALVI	3	F	12.07.2020	Positive
C14395	SOHAM SOMNATH JAMDARE	12	M	12.07.2020	Positive
C14396	RANJANA RAMCHANDRA DALVI	57	F	12.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)