



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 11:45 am
Date and time of reporting (dd/mm/yyyy)	04/10/2020 12:45 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34349	MAHESH KASHINATH VISHE	38	M	04.10.2020	Negative
C34350	PRADIP DHANU MADKE	39	M	04.10.2020	Negative
C34351	JYOTI KANHU SAPALE	58	F	04.10.2020	Negative
C34353	ANITA ANIL BHOIR	52	F	04.10.2020	Negative
C34354	PRITEE VIKAS NAROTE	27	F	04.10.2020	Negative
C34355	YASHRAJ VILAS NAROTE	7	M	04.10.2020	Positive
C34356	SHEKHAR BABAN SHINDE	42	M	04.10.2020	Negative
C34357	NILESH HIRAMAN DHASADE	28	M	04.10.2020	Inconclusive (Repeat Fresh Sample)
C34329	ASHOK ARJUN TAMAN	76	M	04.10.2020	Negative
C34330	GURUNATH LAXMAN SOGIR	40	M	04.10.2020	Negative
C34331	DEEPAK SHIVAJI KULKARNI	76	M	04.10.2020	Negative
C34332	MALIKJAN VAZIRSAHEB	50	M	04.10.2020	Negative
C34333	GURUNATH KERU SHELVALE	48	M	04.10.2020	Negative
C34334	MAHENDRA KRUSHNA GHODWINDE	32	M	04.10.2020	Negative
C34335	SANJAY BHAGWAT AAWTE	50	M	04.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	03/10/2020 11:45 am
Date and time of reporting (dd/mm/yyyy)	04/10/2020 12:45 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C34336	ANIL TUKARAM GUNJAL	31	M	04.10.2020	Negative
C34337	VIJAY SHIVAJI MUJUMALE	39	M	04.10.2020	Negative
C34338	SHANKAR PRAKASH SANAS	32	M	04.10.2020	Negative
C34339	NAMDEV SAKHARAM BHOYE	34	M	04.10.2020	Negative
C34340	SHRIKANT PANDHARINATH VISHE	25	M	04.10.2020	Negative
C34341	PRABHAKA BABAJI DONDE	59	M	04.10.2020	Negative
C34342	PUSHPA BHIMRAO PATIL	55	F	04.10.2020	Negative
C34343	HARSHAL BHIMRAO PATIL	30	M	04.10.2020	Negative
C34344	YOGESHKUMAR BHIMRAO PATIL	36	M	04.10.2020	Negative
C34345	JYOTSNA MAHESH PATIL	25	F	04.10.2020	Negative
C34346	VAIBHAV BALU DUBHELE	32	M	04.10.2020	Negative
C34347	ASHOK LALBADAN YADAV	25	M	04.10.2020	Negative
C34348	MANISHA VALKU BHOIR	40	F	04.10.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)