

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

## **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	17/06/2020 15:00 pm	
Date and time of reporting (dd/mm/yyyy)	18/06/2020 13:44 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C9201	ANITA JAWANJAL	38	F	18.06.2020	Negative
C9202	MAHESH KAMBLE	42	М	18.06.2020	Positive
C9203	DR SHRUTI DESAI	30	F	18.06.2020	Negative
C9204	DR PRASHANT PATEKAR	45	М	18.06.2020	Negative
C9205	DUSHANT DAWARE	45	М	18.06.2020	Negative
C9206	ANISHA DAWARE	37	F	18.06.2020	Negative
C9207	RESHMA HARAD	29	F	18.06.2020	Negative
C9208	SANDEEP PAWAR	29	М	18.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D