

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 13:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender Date of sample testing		SARS-CoV 2	
C12509	JAGDISH SALUNKHE 10781	57	М	04.07.2020	Negative	
C12507	ROHINI PANDURANG GHADIGAONKAR 645	50	F	04.07.2020	Negative	
C12508	KANCHAN SAWANT 10786	53	F	04.07.2020	0 Negative	
C12499	SHRIPATH NAMSALE 10761	63	М	04.07.2020	Positive	
C12506	JAVAHARLAL CHAURASIYA 10766	53	М	04.07.2020	Negative	
C12498	MARUTI SHINDE 10738	40	М	04.07.2020	Positive	
C12502	KHUSHBOO AKHILESH DUBEY 10799	30	F	04.07.2020	Positive	
C12501	GULAB SANJAY SANAP 10805	43	F	04.07.2020	Negative	
C12493	VIDYA NITIN KAMBLE 10816	45	F	04.07.2020	Negative	
C12494	SHUBHAM NITIN KAMBLE 10818	21	М	04.07.2020	020 Negative	
C12495	NITIN DATTATRAY KAMBLE 10817	47	М	04.07.2020	Negative	
C12486	AVINASH DEVRAM KORADE 10828	37	М	04.07.2020	Positive	
C12487	NASRIN KHATUN ABDUL KHALID KHAN 10813	26	F	04.07.2020	Negative	
C12488	DIPESH RAM PATIL 10840	32	М	04.07.2020	Inconclusive (Repeat Fresh Sample)	
C12489	ASHWINI NILANCHAN SHAHU 10827	30	F	04.07.2020	Positive	

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 15:20 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 13:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12490	SUNITA SANJAY AAMLE 10829	30	F	04.07.2020	Negative
C12491	UMESH BHASKAR PATIL 10847	42	М	04.07.2020	Negative
C12505	BALKRISHANA HARIBHAU KUSUMKAR 10846	58	М	04.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)