



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/08/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	28/08/2020 17:18 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23853	PAWAN DHARAMRAJ PATWA 43485/A- 2431	25	M	28.08.2020	Negative
C23852	MUKUND PARBHTI CHORAT 14779/A - 2430	41	M	28.08.2020	Negative
C23851	PRASHANT SHRIDHAR ATWANKAR 14774/A - 2428	30	M	28.08.2020	Positive
C23838	ASHOK NAGOJI SAKHARE 14758/ A-2401	43	M	28.08.2020	Negative
C23837	SHUBH IRBHAN SAGAR 14756/ A-2400	58	M	28.08.2020	Positive
C23836	SONAM RAMAVADH BIND 14750/ A-2392	10	F	28.08.2020	Negative
C23835	SHRIKANT RAJAN SONAWANE 14749/ A-2389	32	M	28.08.2020	Positive
C23850	CHAGUBAI BABAN ADSARE 14773/A - 2425	70	F	28.08.2020	Positive
C23849	MONIKA GHUG N-2421/A - 2421	37	F	28.08.2020	Negative
C23848	PRAVEEN KUMAR YADAV 43465/A - 2419	31	M	28.08.2020	Negative
C23847	SALIM SHAIKH 43464/A - 2418	44	M	28.08.2020	Negative
C23846	AKESH SURESH PATIL 43463/ A - 2417	28	M	28.08.2020	Negative
C23845	DEEPAK BALIRAM BHAGAT 43462/A - 2416	28	M	28.08.2020	Negative
C23844	KAVITA DATTU GARLE 14786/A - 2413	30	F	28.08.2020	Negative
C23843	SUSHMA HOLGIR 14767/A - 2412	23	F	28.08.2020	Inconclusive (Repeat Fresh Sample)

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	28/08/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	28/08/2020 17:18 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C23842	ARCHANA RISHIKESH PURANIK 14762/ A-2407	44	F	28.08.2020	Negative
C23841	VITTHAL TUKARAM JADHAV 14761/ A-2406	58	M	28.08.2020	Negative
C23840	RAMZAAN JILAMI SHAIKH 14760/ A-2403	40	M	28.08.2020	Negative
C23839	DNYANESHWAR SAHEBRAO WAGHMARE 14759/ A-2402	26	M	28.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)