

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/06/2020 05:30 am		
Date and time of reporting (dd/mm/yyyy)	23/06/2020 17:40 pm		
SPECIMEN DETAILS	Nasopharyngeal Swab		
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10100	BHASKAR S. MALI	55	М	23.06.2020	Negative
C10101	HIRABAI B. MALI	45	F	23.06.2020	Negative
C10102	TUKARAM T GAIKAR	65	М	23.06.2020	Negative
C10103	MANGALA T GAMBHRIRAO	35	F	23.06.2020	Negative
C10104	VIJAYA T GAMBHIRRAO	50	F	23.06.2020	Negative
C10105	SHARAD S GAMBHIRRAO	60	M	23.06.2020	Negative
C10106	DAKSHATA R GAMBHIRRAO	24	F	23.06.2020	Negative
C10107	UTTKARSH R GAMBHIRRAO	2	М	23.06.2020	Negative
C10108	AKSHAY DIPAK CHAUDHARI	26	М	23.06.2020	Negative
C10109	ZIPA RAGHU WAGHE	62	M	23.06.2020	Negative
C10110	PARESH D SHINDE	25	М	23.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- · Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)