

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/06/2020 10:00 am	
Date and time of reporting (dd/mm/yyyy)	12/06/2020 13:06 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8007	OMPRAKASH GOSWAMI 153	45	М	12.06.2020	Positive
C8008	RAMDAS BARNWAL 150	65	М	12.06.2020	Positive
C8009	RAMESH SINGH 142	55	М	12.06.2020	Positive
C8010	BALKRUSHNA NAGRE 154	52	М	12.06.2020	Negative
C8011	SHIVADEVI IBE 15015	58	F	12.06.2020	Positive
C8012	SHIVAJI PALSHENKAR 151	65	М	12.06.2020	Positive
C8013	SUMAN MAGRE 152	70	F	12.06.2020	Negative
C8014	B/O SHAMMUNISA SHAIKH 14672	10	F	12.06.2020	Negative
C8015	BHAGYLAXMI BHISE 141	75	F	12.06.2020	Negative
C8016	RAMESHWAR VERMA 158	54	M	12.06.2020	Positive
C8017	KAUSHALYA CHAVAN 15261	60	F	12.06.2020	Positive
C8018	KISAN RATHOD 15270	38	M	12.06.2020	Positive
C8019	MICHAEL PIYADAD FERNANDES 160	51	М	12.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)