



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/06/2020 10:00 am
Date and time of reporting (dd/mm/yyyy)	12/06/2020 15:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C7986	SARITA PRAJAPATI 7778	23	F	12.06.2020	Negative
C7994	DATTA GAIKWAD 7642	41	M	12.06.2020	Negative
C7997	PRADIP GOSAVI 7797	36	M	12.06.2020	Negative
C7999	RAVINDRA SALUNKE 7776	25	M	12.06.2020	Negative
C8001	LALITA BHOSALE 7920	28	F	12.06.2020	Negative
C8026	PAYAL DILIP WADE	23	F	12.06.2020	Negative
C8027	VISHVAJIT WAKADE	25	M	12.06.2020	Negative
C8028	PRATIK RAUNDAL	25	M	12.06.2020	Negative
C8030	HEMANT ZELE	21	M	12.06.2020	Negative
C8031	SACHIN MAHALE	26	M	12.06.2020	Negative
C8032	PANDURANG TAPKIRE	60	M	12.06.2020	Negative
C8034	SHIVAN Y.EGALE 7780	22	M	12.06.2020	Negative
C8040	VAISHALI D. PATIL 8034	64	F	12.06.2020	Inconclusive (Repeat Fresh Sample)
C8041	MANJU SHARMA 8140	29	F	12.06.2020	Negative
C8042	SANJAY M. SALI 8093	54	M	12.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/06/2020 10:00 am
Date and time of reporting (dd/mm/yyyy)	12/06/2020 15:23 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8043	JAYASHREE S. HINGALE 7947	30	F	12.06.2020	Negative
C8044	MANISHA J. PAWAR 8022	33	F	12.06.2020	Negative
C8047	CHANDRAKANT SHANKAR GUNDALE 8124	50	M	12.06.2020	Negative
C8048	SHEELA C. GUNDALE 8125	45	F	12.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)