



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	16/06/2020 11:30 am
Date and time of reporting (dd/mm/yyyy)	17/06/2020 14:11 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH IPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C8899	PAWAN BABY CHAVAN 183	50	M	17.06.2020	Positive
C8900	SANDEEP SURYAVANSHI 15585	35	M	17.06.2020	Positive
C8901	GANESH HARISHCHANDRA WAGHCHAURE 189	36	M	17.06.2020	Positive
C8902	SHAILESH GADAKH 8688	29	M	17.06.2020	Negative
C8903	MADHURI RAJGURU 8689	25	F	17.06.2020	Negative
C8904	SMITA R PALANDE 15536	52	F	17.06.2020	Positive
C8905	SURABHI SURESH GOSWAMI 15459	20	F	17.06.2020	Negative
C8906	BIHARI JAISHRILAL GUPTA 190	41	M	17.06.2020	Negative
C8907	INAL KASHIRAM SHARMA 191	42	F	17.06.2020	Positive
C8908	CHANDRABHAGA T MAHATRE 15274	70	F	17.06.2020	Negative
C8909	SHEELA PRATAP SALVI 192	66	F	17.06.2020	Positive
C8910	JEEVAN SANJAY DHULGANDE 15417	17	M	17.06.2020	Negative
C8911	VAMAN KAMBLE 15501	36	M	17.06.2020	Positive
C8912	LAXMI SARAANJAN DASARI 15595	50	F	17.06.2020	Positive
C8913	PINKI SACHIN UPADHYAY 169	26	F	17.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)