



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 13:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12463	MANOJ DATTARAM SURVE 1328	49	M	04.07.2020	Positive
C12470	SATISH BHOIR 415	42	M	04.07.2020	Negative
C12469	LAKSHMAN KAWDE 716	32	M	04.07.2020	Negative
C12458	KUNAL KASALE 1522	39	M	04.07.2020	Negative
C12471	SUPRIYA KASARE 2002	29	F	04.07.2020	Negative
C12462	BHAGYASHREE KAWDE 731	10	F	04.07.2020	Negative
C12475	KRISHNA KAVDE 716	1 M	M	04.07.2020	Negative
C12474	KALPANA RATILAL SOLANKI 611	33	F	04.07.2020	Negative
C12455	ASHWINI KATKAR 704	36	F	04.07.2020	Negative
C12466	KALYANI VADHAV 1029	35	F	04.07.2020	Negative
C12450	MEHUL GAYAKWAD 913	36	M	04.07.2020	Negative
C12451	ARCHANA GAYAKWAD 934	34	F	04.07.2020	Negative
C12460	JYOTI PANCHAL 1024	36	F	04.07.2020	Negative
C12472	SWAPNIL PATODE 601	36	M	04.07.2020	Negative
C12443	RAJANI PATODE 601	31	F	04.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	02/07/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	04/07/2020 13:04 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA C WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12459	SACHIN BHOIR 413	37	M	04.07.2020	Negative
C12476	SONALI VELAM 408	24	F	04.07.2020	Positive
C12457	KASHYAB MAGAVKAR 1534	33	F	04.07.2020	Negative
C12473	KARTIKI MAHADIK 1533	37	F	04.07.2020	Negative
C12468	BAYSABAI CHAUDHARI 1028	42	F	04.07.2020	Negative
C12453	DASHRATH SAWANT 1711	33	M	04.07.2020	Negative
C12465	BANITA SAWANT 1705	34	F	04.07.2020	Negative
C12452	MAMTA TIWARI 2023	32	F	04.07.2020	Negative
C12464	PRASHANT THORWADE 2229	33	M	04.07.2020	Negative
C12461	PRASHANT LAD 1720	33	M	04.07.2020	Negative
C12454	PRAJAKTA LAD 1717	34	F	04.07.2020	Negative
C12467	ANKUSH PARTE 1111	53	M	04.07.2020	Negative
C12456	SAMAYRA KAMI 1727	2	F	04.07.2020	Positive
C12477	MEHESHWAR SATISH LAD 2554	5	M	04.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)