



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 26/09/2020 13:25 pm |
| Date and time of reporting (dd/mm/yyyy) | 27/09/2020 10:34 am |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH OPD |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|---------------------------------|-----------|--------|------------------------|------------------------------------|
| C32831 | DR. KHUSHBOO HIRALAL PATIL 4374 | 27 | F | 27.09.2020 | Negative |
| C32832 | GOLLALA NINGAPPA DHARI | 55 | M | 27.09.2020 | Negative |
| C32833 | NYGI RAJAN | 47 | M | 27.09.2020 | Inconclusive (Repeat Fresh Sample) |
| C32834 | VARSHA HEMKANT PATIL 4365 | 29 | F | 27.09.2020 | Negative |
| C32835 | SUNITA SINGH 4363 | 45 | F | 27.09.2020 | Negative |
| C32836 | VAISHALI SACHIN KOLI 4359 | 28 | F | 27.09.2020 | Negative |
| C32837 | SACHIN RAMESH SALVI 4354 | 44 | M | 27.09.2020 | Negative |
| C32838 | KALPANA SONI 4347 | 26 | F | 27.09.2020 | Negative |
| C32839 | JAYESH DILIP NAWKAR 4817 | 25 | M | 27.09.2020 | Negative |
| C32840 | DR. NIKET THOMBRE 4382 | 29 | M | 27.09.2020 | Negative |
| C32841 | SAKSHI SUDHAKAR GAIKWAD 4469 | 34 | F | 27.09.2020 | Negative |
| C32842 | DR. PREETI BHATIA 4418 | 39 | F | 27.09.2020 | Negative |
| C32843 | GAURAV RAJESH SINGH 4427 | 27 | M | 27.09.2020 | Negative |
| C32844 | AKSHAY JAYRAM SATHE 4422 | 17 | M | 27.09.2020 | Positive |
| C32845 | LAXMAN RAJU DONGRE 4428 | 22 | M | 27.09.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

| | |
|---|---------------------|
| Date & Time of receipt of specimen (dd/mm/yyyy) | 26/09/2020 13:25 pm |
| Date and time of reporting (dd/mm/yyyy) | 27/09/2020 10:34 am |
| SPECIMEN DETAILS | Nasopharyngeal Swab |
| NAME OF QUARANTINE CENTER / HOSPITAL | CSMH OPD |

| Sample ID | Patient Name | Age (Yrs) | Gender | Date of sample testing | SARS-CoV 2 |
|-----------|--------------------------------|-----------|--------|------------------------|------------|
| C32846 | RAMESH PADWADE 1789 | 48 | M | 27.09.2020 | Negative |
| C32847 | BHARAT SURYAVANSHI 1923 | 33 | M | 27.09.2020 | Negative |
| C32848 | NISHTHA GANESH KUMBHAR 4464 | 14 | F | 27.09.2020 | Negative |
| C32797 | PRAVIN NAVNATH MOHITE | 32 | M | 27.09.2020 | Negative |
| C32796 | SUBODH MONDLUSKAR | 40 | M | 27.09.2020 | Negative |

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)