

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/06/2020 12:40 pm		
Date and time of reporting (dd/mm/yyyy)	24/06/2020 13:05 pm		
SPECIMEN DETAILS	Nasopharyngeal Swab		
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10225	VILAS PATEKAR C-1605	49	М	24.06.2020	Negative
C10226	GAUTAM JADHAV C-1607	58	М	24.06.2020	Negative
C10227	JAYWANT BANDILKAR C-326	56	М	24.06.2020	Negative
C10228	SAROJ BALARAM CHALKE C- 627	47	F	24.06.2020	Negative
C10229	MANOHAR NALE C-1023	67	М	24.06.2020	Negative
C10230	SHAKUNTALA NALE C-1024	60	F	24.06.2020	Positive
C10231	AARTI HEMANT MALVE C-418	41	F	24.06.2020	Negative
C10217	VAISHALI SHARMA C-421	31	F	24.06.2020	Positive
C10218	SUBHASH DUBE C-1704	50	M	24.06.2020	Positive
C10219	ASMIT AMIT PATEL C-1731	74	М	24.06.2020	Negative
C10220	SISILA PRADHAN C-2027	28	F	24.06.2020	Positive
C10221	SHEETAL DIXIT C-706	22	F	24.06.2020	Negative
C10222	SEJAL MORE C-2021	15	F	24.06.2020	Negative
C10223	CHYA MORE C-2019	28	F	24.06.2020	Negative
C10224	PRAFUL MORE C-2022	10	М	24.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	23/06/2020 12:40 pm	
Date and time of reporting (dd/mm/yyyy)	24/06/2020 13:05 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B & C WING	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C10232	PRACHI MORE C-2019	13	F	24.06.2020	Negative
C10233	YUGALI SATPUTE C-306	23	F	24.06.2020	Negative
C10234	SUMAN KEMBARE C-307	62	F	24.06.2020	Negative
C10235	SANJAY KEMBARE C-310	49	М	24.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)