

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601 RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	29/09/2020 17:15 pm	
Date and time of reporting (dd/mm/yyyy)	30/09/2020 17:37 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	Civil Hospital	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C33447	NIKHIL BHURE	28	М	30.09.2020	Positive
C33448	RAVINDRA RAUT	40	М	30.09.2020	Negative
C33449	NILAM YADAV	22	F	30.09.2020	Positive
C33450	MADHUKAR PATHAK	76	М	30.09.2020	Negative
C33451	SANTOSH SHINDE	52	М	30.09.2020	Negative
C33452	ANANT JADHAV	58	М	30.09.2020	Negative
C33453	SAHDEV JADHAV	72	М	30.09.2020	Negative
C33454	PANKAJ DAKWE	49	М	30.09.2020	Negative
C33455	PRITI DAKWE	49	F	30.09.2020	Negative
C33456	PANDHARINATH VISHE	50	М	30.09.2020	Negative
C33457	BALIRAM KAVALE	65	М	30.09.2020	Negative
C33458	DHANAJI GAMBHIRRAO	48	М	30.09.2020	Positive
C33459	BALKRISHNA TALAVADEKAR	71	М	30.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)