



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/07/2020 17:45 pm
Date and time of reporting (dd/mm/yyyy)	30/07/2020 18:07 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18752	SAVITA ASHOK MAGAR	47	F	30.07.2020	Positive
C18753	MANISHA MARUTI DINKAR	35	F	30.07.2020	Positive
C18754	SANTOSH VISHWANATH JADHAV	40	M	30.07.2020	Negative
C18755	ARJUN RAMESH HARAL	44	M	30.07.2020	Negative
C18756	RONAK RAJENDRA SHAHA	24	M	30.07.2020	Negative
C18757	VIKAS VINAYAK MORE	34	M	30.07.2020	Positive
C18758	RITESH BALKRUSHNA SHIRSATH	18	M	30.07.2020	Positive
C18759	SADHANA SHIVAJI AAGIWALE	43	F	30.07.2020	Positive
C18760	SHUBHAM SHIVAJI AAGIWALE	22	M	30.07.2020	Negative
C18761	SIDHESH SHIVAJI AAGIWALE	20	M	30.07.2020	Negative
C18762	GOPIKA GOPAL SHELAR	75	F	30.07.2020	Negative
C18763	SHIVAJI NAMDEV AAGIWALE	50	M	30.07.2020	Positive
C18764	NIRA GOPAL SHELAR	57	F	30.07.2020	Positive
C18765	NIKITA DNYANESHWAR SHELAR	30	F	30.07.2020	Positive
C18766	DNYANESHWAR GOPAL SHELAR	40	M	30.07.2020	Positive

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	29/07/2020 17:45 pm
Date and time of reporting (dd/mm/yyyy)	30/07/2020 18:07 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18767	SAVITA GOPAL SHELAR	42	F	30.07.2020	Positive
C18768	SANDIP SHANTARAM JADHAV	36	M	30.07.2020	Negative
C18769	SANCHI PRADIP GHAG	12	F	30.07.2020	Positive
C18770	MAYANK DNYANESHWAR SHELAR	6	M	30.07.2020	Positive
C18771	AAGASTI DNYANESHWAR SHELAR	10	M	30.07.2020	Positive
C18772	MUNESH FAKIR WEKHANDE	40	M	30.07.2020	Positive
C18773	MAYUR BHASKAR PATIL	27	M	30.07.2020	Negative
C18774	KRUSHNA GOVIND DHANKE	65	M	30.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by

Dr. Shalmali Dharma Ph. D

  
Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)