



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	06/06/2020 16:32 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6794	LAXMAN KASHIRAM PARAB 7151	57	M	06.06.2020	Positive
C6795	SIDHARAM K. JADHAV 7184	56	M	06.06.2020	Negative
C6796	ANUSHKA GANESH PHUKANDE 7152	46	F	06.06.2020	Negative
C6797	GYANESHWAR TUKARAM MALI 7149	35	M	06.06.2020	Positive
C6798	SUBHASH BABASO KALEL 7159	29	M	06.06.2020	Negative
C6799	MAHESH ANANT CHINDARKAR 7153	44	M	06.06.2020	Negative
C6800	RAGHU VITHAL BHINOYA 7160	50	M	06.06.2020	Negative
C6801	SAKSHI SAGAR PAWAR 7191	33	F	06.06.2020	Negative
C6802	MUGHDA MANOJ MORE 7150	40	F	06.06.2020	Negative
C6803	RIYA RAJENDRA DHARI 7170	45	F	06.06.2020	Positive
C6804	SANTOSH VISHWANATH BARGE 7171	50	M	06.06.2020	Negative
C6805	SACHIN BALIRAM MHATRE 7170	36	M	06.06.2020	Negative
C6806	DR. PRATIK DINESH NISAD 7145	23	M	06.06.2020	Negative
C6807	KACHARU BABURAV PAWAR 7127	58	M	06.06.2020	Negative
C6808	NIKHIL VIJAY DALAVI 7161	24	M	06.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	06/06/2020 16:32 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6809	POOJA RAJENDRA YELMULLRA 6991	32	F	06.06.2020	Positive
C6810	BABU CHANDRAYYA MAITRI 7158	32	M	06.06.2020	Negative
C6811	RAJU RAMJI NISHAD 7250	27	M	06.06.2020	Negative
C6812	SNEHA BHANUDAR KHARAT 7175	24	F	06.06.2020	Negative
C6813	ASHOK CHANDRAYYA MAITRI 7157	38	M	06.06.2020	Negative
C6814	MAHESH KOKANBAINE 7124	17	M	06.06.2020	Negative
C6815	RADHABAI KADAM 7224	88	F	06.06.2020	Positive
C6816	PRANALI UDAY INDULKAR 7214	21	F	06.06.2020	Negative
C6817	SUPRIYA SONTAKKE 7259	34	F	06.06.2020	Negative
C6818	SHRUTI MOKAL 7147	16	F	06.06.2020	Positive
C6819	HEENA JAFAR SHAIKH 7283	25	F	06.06.2020	Negative
C6820	ARUN NARAYAN INDULKAR 7212	54	M	06.06.2020	Negative
C6821	SANGEETA KRISHNA GALPADE 7209	24	F	06.06.2020	Negative
C6822	KUSUM RAMASHISH RAJBHAR 6835	25	F	06.06.2020	Negative
C6823	PALLAVI VISHWASRAV MORE 6867	24	F	06.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)




NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report


Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	06/06/2020 16:32 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6824	AASHA SHANKAR KOLGE 7251	28	F	06.06.2020	Negative
C6825	MANORAMA RAJNARAYAN DUBEY 7176	53	F	06.06.2020	Positive
C6826	VAIBHAVI VAIBHAV CHAVAN 7252	29	F	06.06.2020	Positive
C6827	VIJAYRAJ SHAKTI YADAV 6823	45	M	06.06.2020	Negative
C6828	VIJAY RAMCHANDRA BAGDE 7178	57	M	06.06.2020	Negative
C6829	VAIBHAV VISHNU CHAUGHAN 6593	32	M	06.06.2020	Negative
C6830	ANCHAL ANAND BHALERAW 7262	20	F	06.06.2020	Negative
C6831	SALAMA KAIM KHAN 6493	20	F	06.06.2020	Negative
C6832	BHARAT DAYARAM MOKAL 7146	50	M	06.06.2020	Positive
C6833	PALLAVI RAJNARAYAN DUBEY 7177	27	F	06.06.2020	Positive
C6834	MINAJ DABHOLKAR 14873	38	F	06.06.2020	Positive
C6835	MAHIPAT NIMBARE 14865	74	M	06.06.2020	Negative
C6836	HARUBAI KHARATMOL 14730	76	F	06.06.2020	Negative
C6837	AFROZ MUKADAM 14872	44	F	06.06.2020	Negative
C6838	SAMADHAN NALAWADE 101	24	F	06.06.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	05/06/2020 15:15 pm
Date and time of reporting (dd/mm/yyyy)	06/06/2020 16:32 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C6839	MONA GONES 14683	19	F	06.06.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)