



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/07/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	06/07/2020 14:18 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12838	BHAGESHREE R KOLI	21	F	06.07.2020	Negative
C12839	PRATHAMESH P SUTAR	22	M	06.07.2020	Negative
C12840	HIRABAI B AHIRE	60	F	06.07.2020	Negative
C12841	USHA S KHAMBYAT	57	F	06.07.2020	Negative
C12842	UJAWALA M. SONAWANE	42	F	06.07.2020	Positive
C12843	AKSHATA A MANJREKAR	21	F	06.07.2020	Negative
C12844	SURESH H WADWAL	52	M	06.07.2020	Negative
C12845	NIKHIL N PODAR	30	M	06.07.2020	Negative
C12846	SWARA V SALVE	5	F	06.07.2020	Negative
C12847	RASIKA K BAGRAO	21	F	06.07.2020	Negative
C12848	NANDINI V VISHWAKARMA	22	F	06.07.2020	Negative
C12849	SHWETA C DHUMAL	22	F	06.07.2020	Negative
C12850	KAJAL L RAGHWANI	26	F	06.07.2020	Negative
C12851	VIKAS R RATHOD	39	M	06.07.2020	Positive
C12852	MELWIN M SALDANHA	42	M	06.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	04/07/2020 15:30 pm
Date and time of reporting (dd/mm/yyyy)	06/07/2020 14:18 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	kores hospital

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12853	HARSHADA MAHADIK	21	F	06.07.2020	Negative
C12854	SAI V BHOIR	24	M	06.07.2020	Negative
C12855	SHWETA ANIL DHUMAL	21	F	06.07.2020	Negative
C12856	BALEKHAN M SHIKALGAR	57	M	06.07.2020	Positive
C12857	SHUBHANGI D TAWDE	53	F	06.07.2020	Negative
C12858	LAVESH N GHADSHI	24	M	06.07.2020	Negative
C12859	AMAR M RAUT	30	M	06.07.2020	Negative
C12860	HARSHALI B PAWAR	31	F	06.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)