



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/09/2020 12:50 pm
Date and time of reporting (dd/mm/yyyy)	17/09/2020 17:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30405	BHAGOTI YADAV B-2864	29	M	17.09.2020	Negative
C30406	JAYESH KAMBLE B-2764	28	M	17.09.2020	Negative
C30440	AAJIT KUNEEL B-2849	52	M	17.09.2020	Positive
C30438	SAGAR VISHWAKARMA B-2863	26	M	17.09.2020	Negative
C30434	DINESH V. GUPTA B-2850	44	M	17.09.2020	Negative
C30411	RAMESH VALLAB B-2822	45	M	17.09.2020	Negative
C30424	AKSHAY THOMBRE B-2821	20	M	17.09.2020	Negative
C30436	VIJAY SHANKAR PADIYACHE B-2806	41	M	17.09.2020	Negative
C30421	VINOD MISHRA B-2843	43	M	17.09.2020	Negative
C30423	KRUSHNARAO B-2846	50	M	17.09.2020	Negative
C30437	LALMOHAN PRAJAPATI B-2865	45	M	17.09.2020	Negative
C30433	HANUMANTA DHOTRE B-2781	20	M	17.09.2020	Negative
C30418	RUSHIKESH MANE B-2805	25	M	17.09.2020	Negative
C30429	SHRIKANT TAYADE B-2801	30	M	17.09.2020	Negative
C30415	MALVIKA MALVIK B-2753	28	F	17.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/09/2020 12:50 pm
Date and time of reporting (dd/mm/yyyy)	17/09/2020 17:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30416	RAMESH MHASKAR B-2719	35	M	17.09.2020	Negative
C30419	RAMESHCHAND JAISWAL B-2722	48	M	17.09.2020	Negative
C30414	VINOD CHAUHAN B-2786	22	M	17.09.2020	Negative
C30441	MUKESH GUPTA B-2866	20	M	17.09.2020	Negative
C30428	VISHWANATH SIRSAT B-2878	62	M	17.09.2020	Negative
C30432	VIKAS PASTE B-2825	43	M	17.09.2020	Negative
C30422	AMAN KHARWAR B-2818	18	M	17.09.2020	Negative
C30420	SHYAMSUNDER JAISWAL B-2811	47	M	17.09.2020	Negative
C30426	DEEPAK JAISWAL B-2839	21	M	17.09.2020	Negative
C30427	RAJESH R. VAVIA B-2824	33	M	17.09.2020	Negative
C30439	PRINCE NADAR B-2829	49	M	17.09.2020	Negative
C30435	ROHAN PRASHAD B-2817	18	M	17.09.2020	Negative
C30409	SAROJ JAISWAL B-2875	25	F	17.09.2020	Negative
C30417	URMILA GUPTA B-2874	45	F	17.09.2020	Negative
C30413	AAYUSH RAMESH MHASKAR B-2720	11	M	17.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/09/2020 12:50 pm
Date and time of reporting (dd/mm/yyyy)	17/09/2020 17:05 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30412	SAURABH SINGH B-2841	23	M	17.09.2020	Negative
C30410	ROHIT KUMAR MISHRA B-2845	24	M	17.09.2020	Negative
C30425	BIRKY B-2783	25	M	17.09.2020	Negative
C30431	PADMA AACHAV B-2827	37	F	17.09.2020	Negative
C30430	AMARJEET YADAV B-2870	30	M	17.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)