



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 12:55 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 12:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30052	KAMLESH PRAJAPATI WQ-150	44	M	16.09.2020	Negative
C30051	AVDHUT THIK WQ-157	42	M	16.09.2020	Negative
C30050	BAJRANG SINGH WQ-165	40	M	16.09.2020	Negative
C30045	RAMDEV PATWA WQ- 130	50	M	16.09.2020	Negative
C30044	TULSHIRAM SAPTE WQ - 153	50	F	16.09.2020	Negative
C30043	RAJESH YASHWANT DONGARE WQ - 231	54	M	16.09.2020	Negative
C30042	SAHIL CHIKLIYA WQ - 147	17	M	16.09.2020	Negative
C30041	BHAGVAT SURYAWANSHI WQ - 151	65	M	16.09.2020	Negative
C30040	RAM NIWAS WQ - 149	48	M	16.09.2020	Negative
C30049	DEEPAK VISRIYA WQ-155	35	M	16.09.2020	Negative
C30048	VEER BHAN WQ-127	18	M	16.09.2020	Negative
C30047	OMPRAKASH YADAV WQ-134	17	M	16.09.2020	Negative
C30046	NILESH SONI WQ-172	22	M	16.09.2020	Negative
C30214	NEETU GUHER WLL-55	28	F	16.09.2020	Negative
C30213	SUNITA DATTATRAY LAD WLL-57	49	F	16.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 12:55 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 12:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30212	KISHOR MITKAR WLL-56	43	M	16.09.2020	Positive
C30283	MITALI MANOHAR JADHAV W-4840	26	F	16.09.2020	Negative
C30282	GAURI PALSULEDESAI W-4881	23	F	16.09.2020	Positive
C30281	MANISHA VILAS SATAM W-4842	53	F	16.09.2020	Negative
C30280	ABHAY ABAYANKAR W-4831	50	M	16.09.2020	Negative
C30279	NISHIRAJ DILIP WAGH W-4851	34	M	16.09.2020	Negative
C30278	KAJOL RAJPUT W-4883	21	F	16.09.2020	Negative
C30277	CHANDRKANT TUKARAM SHIRKE W-4888	64	M	16.09.2020	Negative
C30276	JARY SINGH W-4886	24	M	16.09.2020	Positive
C30275	NAEEM NASRULLA PATHAN W-4856	54	M	16.09.2020	Positive
C30274	DAYALAL JAIN W-4807	25	M	16.09.2020	Positive
C30273	BEENADEVI SINGH W-4911	56	F	16.09.2020	Positive
C30272	NITESH DALVI W-4809	23	M	16.09.2020	Negative
C30271	SHYAMSUNDARI SINGH W-4910	22	F	16.09.2020	Positive
C30270	ABHISHEKH GUPTA W-4865	20	M	16.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 12:55 pm
Date and time of reporting (dd/mm/yyyy)	16/09/2020 12:21 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	C.R.WADIA

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30269	UMA PALSULEDESAI W-4882	17	F	16.09.2020	Negative
C30268	DEVESH MAHADIK W-4837	15	M	16.09.2020	Negative
C30267	RUPALI MANISH POLEKAR W-4867	27	F	16.09.2020	Negative
C30266	JYOTI MAHADIK W-4838	38	F	16.09.2020	Negative
C30265	SUBHAS JAMDHADE W-4802	44	M	16.09.2020	Positive
C30264	DATTATRAY BALU SARAK W-4818	36	M	16.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)