



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	27/07/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	28/07/2020 12:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18185	RAMLANA BASRE 706	45	M	28.07.2020	Positive
C18184	APARNA KANTHE 712	21	F	28.07.2020	Negative
C18183	CHETAN KANTHE 708	27	M	28.07.2020	Negative
C18182	RADHA BASRE 707	20	F	28.07.2020	Negative
C18181	SANGEETA KANTHE 710	38	F	28.07.2020	Negative
C18180	SHUBHAM MAYEKAR 711	22	M	28.07.2020	Negative
C18179	AVINASH KADAM 720	51	M	28.07.2020	Positive
C18178	TIMYYA BASRE 709	48	M	28.07.2020	Negative
C18177	ATHARVA AVINASH KADAM 719	12	M	28.07.2020	Positive
C18176	BHARAT RANE 722	50	M	28.07.2020	Negative
C18175	ARUNA AVINASH KADAM 719	39	F	28.07.2020	Positive
C18165	SIDDHI BHAGAT 834	40	F	28.07.2020	Negative
C18164	DR PRAKASH KULTE 1134	61	M	28.07.2020	Positive
C18163	DIPALI SHINDE 825	20	F	28.07.2020	Negative
C18174	SHEKHAR MUNDEKAR 819	38	M	28.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	27/07/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	28/07/2020 12:40 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C18173	KRUSHNA MUNDEKAR 817	65	M	28.07.2020	Negative
C18172	AMRAPALI GHADGE 825	03	F	28.07.2020	Negative
C18171	SHRAVANI MUNDEKAR 818	04	F	28.07.2020	Negative
C18170	SAKSHI MUNDEKAR 818	31	F	28.07.2020	Negative
C18169	RAKHI GURAV 817	12	F	28.07.2020	Negative
C18168	HETAL GURAV 819	10	F	28.07.2020	Negative
C18167	DEEPAK BOLATKAR 814	35	M	28.07.2020	Negative
C18166	KUNAL BHAGAT 813	16	M	28.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)