



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	12/07/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	13/07/2020 15:10 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14681	RESHMA MORE 301	59	F	13.07.2020	Negative
C14682	VAISHALI VETAM 313	40	F	13.07.2020	<b>Positive</b>
C14683	DEEPAK ANANT TAMBOLI 412	51	M	13.07.2020	Negative
C14684	VASANT SALUNKHE 418	66	M	13.07.2020	Negative
C14685	ISEK APPAH KONAR 401	50	M	13.07.2020	Negative
C14686	PUNAM BARKADE 302	23	F	13.07.2020	Negative
C14687	SANTOSH GAIKWAD 404	40	M	13.07.2020	Negative
C14688	NETAJI SURYAVANSH 407	40	M	13.07.2020	Negative
C14689	SANJAY KOKATE 401	58	M	13.07.2020	Negative
C14690	PANDURANG SAWANT 416	58	M	13.07.2020	Negative
C14691	PRADEEP RENUKDAS 408	68	M	13.07.2020	Negative
C14692	SAROJ VARMA	55	F	13.07.2020	<b>Positive</b>
C14693	AASHA MAHADEV MORE 313	51	F	13.07.2020	Negative
C14694	MAHADEV JAGANNATH MORE 411	61	M	13.07.2020	Negative
C14695	KAMLADEVI JAISWAR 313	60	F	13.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)