



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	24/09/2020 11:50 am
Date and time of reporting (dd/mm/yyyy)	26/09/2020 13:19 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32401	AJAY RAMGOPAL SHARMA	48	M	26.09.2020	Negative
C32608	VIJAY MADHUKAR JADHAV	47	M	26.09.2020	Negative
C32609	SHANTARAM RAMCHANDRA BHERE	64	M	26.09.2020	Positive
C32610	RISHIKESH SHANTARAM BHERE	39	M	26.09.2020	Positive
C32611	SOMA KESHAV PATIL	71	M	26.09.2020	Positive
C32612	MAYUR ASHOK SHINGE	20	M	26.09.2020	Positive
C32613	HARSHALA SOMNATH DAGLE	31	F	26.09.2020	Negative
C32614	VANDANA VIJAY KADAM	51	F	26.09.2020	Inconclusive (Repeat Fresh Sample)
C32615	MANJULA DATTATRAY VADVALE	52	F	26.09.2020	Negative
C32616	VAISHALI ANIL MAHALE	30	F	26.09.2020	Negative
C32617	DEVENDRA BAHIRAM UBALE	30	M	26.09.2020	Inconclusive (Repeat Fresh Sample)
C32618	SIMA MUKESH PRASAD	31	F	26.09.2020	Negative
C32619	PUNDALIK RAMCHANDRA LUTE	56	M	26.09.2020	Negative
C32620	SANJAY PANDURANG PEDNEKAR	59	M	26.09.2020	Negative
C32621	SANJAY BAJIRAO LONARE	34	M	26.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)