



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	12/09/2020 20:30 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28760	CHITRA SHITUP 1001	27	F	12.09.2020	Negative
C28759	MILIND HAJARE 815	22	M	12.09.2020	Negative
C28758	PRATIK DHANAWADE 1129	23	M	12.09.2020	Negative
C28757	NAGIN DHANAWADE 1116	54	F	12.09.2020	Negative
C28756	PRAJAKTA DHANAWADE 1130	28	F	12.09.2020	Negative
C28755	PRATIKSHA DHANAWADE 1115	25	F	12.09.2020	Negative
C28754	SWATI DHANAWADE 1131	23	F	12.09.2020	Negative
C28753	SHAHAJI KAMBLE 1113	34	M	12.09.2020	Negative
C28752	PRATIMA KAMBLE 1132	32	F	12.09.2020	Negative
C28751	PRADMESH KAMBLE 1132	7	M	12.09.2020	Negative
C28750	MANOJ HAJARE 816	25	M	12.09.2020	Negative
C28749	SHREYA PALAV 1013	16	F	12.09.2020	Negative
C28748	NAINA SHITUP 1002	60	F	12.09.2020	Negative
C28747	RAJASHREE PALAV 1013	42	F	12.09.2020	Negative
C28746	NANDKUMAR SHITUP 1003	73	M	12.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	11/09/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	12/09/2020 20:30 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	BHAYANDER PADA B WING

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C28745	MAHESH HAJARE 814	24	M	12.09.2020	Negative
C28744	MURARI VISHWAKARMA 1015	24	M	12.09.2020	Inconclusive (Repeat Fresh Sample)
C28743	SHIVNATH SHIVRAM DAS 1016	20	M	12.09.2020	Negative
C28742	MILIND PALAV 1014	22	M	12.09.2020	Negative
C28740	VASANT HAJARE 815	61	M	12.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)