



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 12:15 pm
Date and time of reporting (dd/mm/yyyy)	07/09/2020 19:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C26429	POOJA NITIN SARAVADE 15064/A-2806	23	F	07.09.2020	<b>Positive</b>
C26428	SAROJA NARSAPPA MALE 15110/A-2804	60	F	07.09.2020	Negative
C26414	AKLESH CHAURASIYA 18723/A-2803	40	M	07.09.2020	Negative
C26422	SANJU GANGARAM NALAWADE 15106/A-2793	36	M	07.09.2020	Negative
C26416	SHARAD DATTARAO MUNJWAR 18696/A-2789	25	M	07.09.2020	Negative
C26420	SAGAR DATTU SHENDAGE 15101/A-2788	29	M	07.09.2020	<b>Positive</b>
C26418	MANOHAR BALKRUSHNA TAMBE 15097/A-2787	52	M	07.09.2020	Negative
C26419	GOPAL BABAN JADHAV 15137/A-2825	25	M	07.09.2020	Negative
C26423	UMESH PANDURANG JADHAV 15136/A-2524	30	M	07.09.2020	Negative
C26413	SUBABHAI BHAGWAN RAUT 15138/A-2831	70	F	07.09.2020	Negative
C26426	JYOTI MANDANGI 14028/A-2833	18	F	07.09.2020	Negative
C26424	PRATIKSHA PRAMOD PATIL 15139/A-2832	52	F	07.09.2020	Negative
C26417	ANIKET SUBHSHCHANDRA SHARMA 15140/A-2835	22	M	07.09.2020	Negative
C26412	KOMAL SURESH GHUGE 15141/A-2836	19	F	07.09.2020	Negative
C26427	KIRAN URF BALA ACHYUT BHURE 15144/A-2838	20	M	07.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	05/09/2020 12:15 pm
Date and time of reporting (dd/mm/yyyy)	07/09/2020 19:38 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C26438	SANJAY J YADHAV 15159/A-2856	28	M	07.09.2020	Negative
C26433	KALVIR NILKANT KHADWADKAR 15158/A-2854	59	M	07.09.2020	Negative
C26437	AMAL SUNIL GEORGE 15149/A-2847	7	M	07.09.2020	Inconclusive (Repeat Fresh Sample)
C26432	ALWIN MATHEW 15150/A-2849	16	M	07.09.2020	<b>Positive</b>
C26436	VIJAYKUMAR MAURYA 15155/A-2850	35	M	07.09.2020	<b>Positive</b>
C26440	KISHOR BABAN DHEKANE 15152/A-2845	37	M	07.09.2020	Negative
C26431	VIJANTI SHIVAJI SAKAT 15142/A-2844	60	F	07.09.2020	Negative
C26439	PRADIP AVACHIT SHIRSATH 15145/A-2843	51	M	07.09.2020	Negative
C26434	PRASHANT MADHUKAR SHINGANE 15153/A-2842	32	M	07.09.2020	Negative
C26441	DATTA GAJANAN KHILANI AA-2077	28	M	07.09.2020	Negative
C26415	JAYESH SOHONI AA-2012	42	M	07.09.2020	<b>Positive</b>
C26425	DR. GAUTAM D. VERMA AA-1970	34	M	07.09.2020	Negative
C26421	SANGEETA ANIL SAWANT AA-1948	37	F	07.09.2020	Negative
C26435	DR. VIJAY SAGAR 24171	29	M	07.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)