



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	18/07/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 15:32 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16307	CHANDA ANIL JAISWAL	36	F	20.07.2020	<b>Positive</b>
C16308	KANCHAN A JAISWAL	34	F	20.07.2020	Negative
C16309	TANISHA A JAISWAL	5	F	20.07.2020	Negative
C16310	RAJ ANIL JAISWAL	16	M	20.07.2020	Negative
C16311	RASHI KRISHNA JADHAV	6	F	20.07.2020	Negative
C16312	NARAYAN MARUTI SHINDE	68	M	20.07.2020	Negative
C16313	SUSHILADEVI S JAISWAL	64	F	20.07.2020	Negative
C16314	ISHITA A JAISWAL	7	F	20.07.2020	Negative
C16315	YASH ANIL JAISWAL	14	M	20.07.2020	Negative
C16316	SONALI S SHINDE	35	F	20.07.2020	Negative
C16317	ASHISHKUMAR S JAISWAL	37	M	20.07.2020	Negative
C16318	REKHA N SHINDE	38	F	20.07.2020	Negative
C16319	SUSHMA K JADHAV	22	F	20.07.2020	Negative
C16320	RAJESH SAMEER SHINDE	1	M	20.07.2020	Negative
C16321	AKHIL BHADRIK CHHEDA	20	M	20.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	18/07/2020 16:00 pm
Date and time of reporting (dd/mm/yyyy)	20/07/2020 15:32 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	HAJURI CENTRE

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C16322	KRISHNA S JADHAV	30	M	20.07.2020	Negative
C16323	SAHIL B CHHEDA	16	M	20.07.2020	Negative
C16324	ROHIT DAYANAND TUPE	24	M	20.07.2020	Negative
C16325	MEETA BALU JADHAV	40	F	20.07.2020	Negative
C16326	MARUTI BALU JADHAV	13	F	20.07.2020	Negative
C16327	DIVYASHREE S SHINDE	9	F	20.07.2020	Negative
C16328	KHUSHI K JADHAV	1	F	20.07.2020	Negative
C16329	LATA DAYANAND TUPE	53	F	20.07.2020	Negative
C16330	RAKHI K JADHAV	8	F	20.07.2020	Negative
C16331	RAJESH BALU JADHAV	17	M	20.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)