

## NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

## COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

## **Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	13/07/2020 12:45 pm	
Date and time of reporting (dd/mm/yyyy)	14/07/2020 15:14 pm	
SPECIMEN DETAILS	Nasopharyngeal Swab	
NAME OF QUARANTINE CENTER / HOSPITAL	HORIZONE SCHOOL	

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14781	ADBASAHEB HANUMANT AKTARE 407	37	М	14.07.2020	Negative
C14782	PAWANKUMAR JHUNJARAO 407	31	М	14.07.2020	Negative
C14783	VANDANA VIKAS SURVASE 313	29	F	14.07.2020	Negative
C14784	CHETAN RAUT 412	36	М	14.07.2020	Negative
C14785	SURAJ KOLAPATE 415	27	M	14.07.2020	Negative
C14786	MAHESH DAREKAR 413	48	М	14.07.2020	Negative
C14787	SUMIT TALEKAR 413	36	M	14.07.2020	Negative
C14788	JYOTI SAWANT 318	23	F	14.07.2020	Negative
C14789	GAJANAN BHONDGE 407	67	M	14.07.2020	Negative
C14790	MANOHAR PANCHAL 407	59	М	14.07.2020	Negative
C14791	SHANMUGA RAMU VELU 407	44	M	14.07.2020	Negative
C14792	AMOL SOMNARTHO 407	39	М	14.07.2020	Negative
C14793	LAXMIKANT YADAV 407	55	М	14.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.\*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shawo Verified by

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)

Verified by Dr. Shalmali Dharma Ph. D