



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**RT-PCR Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	26/09/2020 13:30 pm
Date and time of reporting (dd/mm/yyyy)	27/09/2020 20:19 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KAUSA STADIUM QUARANTINE CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32860	ANIKET ASHOK JADHAV	26	M	27.09.2020	<b>Positive</b>
C32861	SHAHID HAKIKILLAH KHAN	20	M	27.09.2020	Negative
C32862	HIRENDRA KUMAR CHAURASIA	26	M	27.09.2020	Inconclusive (Repeat Fresh Sample)
C32863	GOBINDA SHIT	26	M	27.09.2020	<b>Positive</b>
C32864	BABUTAI VILAS DHABADE	62	F	27.09.2020	Negative
C32865	USHA PATIL	67	F	27.09.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)