

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	07/07/2020 11:15 am
Date and time of reporting (dd/mm/yyyy)	08/07/2020 15:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13454	SANTOSH GAIKAR 11230	45	М	08.07.2020	Negative
C13455	SAHEBRAO GAWAI 11224	36	М	08.07.2020	Positive
C13456	PRAKASH SURYAVANSHI 11234	42	М	08.07.2020	Negative
C13457	SHIVRAM PADNERE 11228	31	М	08.07.2020	Negative
C13458	MANISHA JADHAV 11255	54	F	08.07.2020	Positive
C13459	SUNIL KAMBLE 11253	42	M	08.07.2020	Positive
C13460	BELI GAIKWAD 11110	62	F	08.07.2020	Positive
C13461	AAKASH PAWAR 11249	27	М	08.07.2020	Negative
C13462	INDRANATH DHAGE 11231	65	M	08.07.2020	Negative
C13463	MANOJ BHARAMBE 10796	30	M	08.07.2020	Negative
C13465	VRUSHALI PALANDE 11248	45	F	08.07.2020	Positive
C13466	VIJAY PALANDE 11247	55	M	08.07.2020	Positive
C13467	NALINI GAIKWAD 11116	37	F	08.07.2020	Positive
C13468	ACCHELAL RAJBHAR 10660	49	М	08.07.2020	Positive
C13469	BABAN SANAP 11275	42	М	08.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	07/07/2020 11:15 am
Date and time of reporting (dd/mm/yyyy)	08/07/2020 15:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13470	SUNIL MANDRAI 11252	34	М	08.07.2020	Negative
C13471	DURYODHAN DAS 11258	67	М	08.07.2020	Positive
C13472	RANJANA DAS 11259	57	F	08.07.2020	Negative
C13473	KIRAN KAMBLE 11236	35	М	08.07.2020	Negative
C13474	NANA WARBHUVAN 11265	45	М	08.07.2020	Negative
C13475	VIJAY WAGHMARE 11237	55	M	08.07.2020	Negative
C13476	NISHANT JOSHI 11264	22	М	08.07.2020	Negative
C13477	JAGDISH YADAV 11268	58	М	08.07.2020	Positive
C13478	HEENA BHANAJE 11245	24	F	08.07.2020	Positive
C13479	SANJAY YADAV 11267	32	M	08.07.2020	Positive
C13480	YAMINI SURYAWANSHI 11284	24	F	08.07.2020	Positive
C13481	GANGA RAJPUT 11269	72	F	08.07.2020	Negative
C13482	VIJAY BHAVAR 11283	52	М	08.07.2020	Negative
C13483	UMESH KALE 11274	47	М	08.07.2020	Negative
C13484	DR. ATUL KHADKE 33797	29	М	08.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	07/07/2020 11:15 am
Date and time of reporting (dd/mm/yyyy)	08/07/2020 15:12 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C13485	SUJATA SANGHVE 11296	40	F	08.07.2020	Positive
C13486	REKHA PAWAR 11303	44	F	08.07.2020	Positive
C13487	UMESH KARANDE 11308	29	М	08.07.2020	Positive
C13488	NASREEN KHAN 11271	49	F	08.07.2020	Negative
C13489	AMRAVATIDEVI VISHWAKARMA 11287	60	F	08.07.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shaws Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)