



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/09/2020 23:50 pm
Date and time of reporting (dd/mm/yyyy)	23/09/2020 18:29 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C31990	RAJU EKNATH JAGTAP	48	M	23.09.2020	Negative
C31991	UJWALA RAJU JAGTAP	36	F	23.09.2020	Negative
C31992	AARTI BHAGWAT PAWAR	25	F	23.09.2020	Negative
C31993	SUBODH BHAGWAT PAWAR	21	M	23.09.2020	Negative
C31994	JIJABAI BHAGWAT PAWAR	55	F	23.09.2020	Negative
C31995	BAJIRAV CHANDRAPPA KADAM	54	M	23.09.2020	Negative
C31996	DHANANJAY KISANRAO DESHMUKH	42	M	23.09.2020	Negative
C31997	DHANANJAY GURUNATH PANDIT	32	M	23.09.2020	Negative
C31998	ROHIT MADHUKAR BARSING	33	M	23.09.2020	Negative
C31999	DAGADU SHANTARAM WAKDE	51	M	23.09.2020	Positive
C32000	AMOL SHANTARAM SHEJWAL	26	M	23.09.2020	Negative
C32001	VAIBHAV BUDHAJI VISHE	27	M	23.09.2020	Positive
C32002	BUDHAJI BHAU VISHE	52	M	23.09.2020	Positive
C32003	NAKUL VAMAN MAHALUNGE	30	M	23.09.2020	Positive
C32004	RAVIKANT MADHUKAR KHARE	52	M	23.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by

Dr. Shalmali Dharma Ph. D


Checked and Approved by

Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/09/2020 23:50 pm
Date and time of reporting (dd/mm/yyyy)	23/09/2020 18:29 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32005	SHANKAR PALU MALI	65	M	23.09.2020	Positive
C32006	YAMUNA KATHOD KATHOLE	65	F	23.09.2020	Negative
C32007	KALPANA KRUSHNA TUPE	50	F	23.09.2020	Negative
C32008	KRUSHNA BALKRUSHNA TUPE	56	M	23.09.2020	Negative
C32009	RAGHUNATH NARAYAN VEKHANDI	45	M	23.09.2020	Negative
C32010	CHANDRAKANT DHARMARAJ SAKPAL	61	M	23.09.2020	Positive
C32011	CHANDRAKANT MALU VISHE	61	M	23.09.2020	Negative
C32012	NANDINI NAVNATH BHOIR	28	F	23.09.2020	Positive
C32013	NAVNATH SADASHIV BHOIR	31	M	23.09.2020	Positive
C32014	ANIKET ANANTA THAKARE	28	M	23.09.2020	Negative
C32015	ANJANA VITTHAL MANJE	48	F	23.09.2020	Negative
C32016	PANDURANG YASHVANT BHAGWAT	60	M	23.09.2020	Negative
C32020	ALKA SHANKAR NATHE	35	F	23.09.2020	Inconclusive (Repeat Fresh Sample)
C32017	KASTURI SHANKAR NATHE	11	F	23.09.2020	Negative
C32018	YAMUNA SONU NATHE	72	F	23.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	22/09/2020 23:50 pm
Date and time of reporting (dd/mm/yyyy)	23/09/2020 18:29 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C32019	DIPAK SADASHIV KSHIRSAGAR	48	M	23.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)