



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report


Date & Time of receipt of specimen (dd/mm/yyyy)	09/07/2020 18:20 pm
Date and time of reporting (dd/mm/yyyy)	11/07/2020 14:42 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14131	SARTHAK SADANAND GHARAT	4	M	11.07.2020	Positive
C14132	MANGESH YASHWANT SHELAR	35	M	11.07.2020	Negative
C14133	HARSH CHANDRAKANT THAKRE	9	M	11.07.2020	Negative
C14134	MADAN PANDURANG CHAUDHARI	60	M	11.07.2020	Positive
C14135	ANIL DATTATRAY ADHIKARI	38	M	11.07.2020	Negative
C14136	SHEKHAR RAMESH GAIKWAD	43	M	11.07.2020	Negative
C14137	GAYATRI GURUNATH GAWARI 1185	27	F	11.07.2020	Negative
C14138	MADHURI SADANAND GHARAT 1190	32	F	11.07.2020	Positive
C14139	ANWAR GULAM SHAIKH	33	M	11.07.2020	Positive
C14140	RAJASHREE LADU MISTRI	56	F	11.07.2020	Positive
C14141	MOHINI BHULCHAND VANJARANI	82	F	11.07.2020	Positive
C14142	PURVA JAYWANT GAIKWAD	14	F	11.07.2020	Negative
C14143	SWAROOP NAVNATH SANGLE	9	M	11.07.2020	Positive
C14144	YASH MANGESH SHELAR	12	M	11.07.2020	Positive
C14145	DEVASHRI DNYANESHWAR LOHKARE	3 MONTHS	F	11.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	09/07/2020 18:20 pm
Date and time of reporting (dd/mm/yyyy)	11/07/2020 14:42 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	Shahapur

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C14146	LADU SABA MISTRI	70	M	11.07.2020	Negative
C14147	SONALI NAVNATH SANGLE	31	F	11.07.2020	Negative
C14148	NANDINI NAVNATH SANGLE	5	F	11.07.2020	Negative
C14149	AANANDA BHIMA BAGUL	63	M	11.07.2020	Positive
C14150	HEERABAI DASHRATH MALI	65	F	11.07.2020	Negative
C14151	ROHAN RAGHUNATH BHALERAO	19	M	11.07.2020	Negative
C14152	DEEP MANGESH SHELAR	6	M	11.07.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)