



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 17:45 pm
Date and time of reporting (dd/mm/yyyy)	17/09/2020 15:41 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30346	BHAGVAN INDRU AMBORE	36	M	17.09.2020	Positive
C30345	TUKARAM PANDURANG VISHE	46	M	17.09.2020	Positive
C30344	RAHUL SUBHASH JAMBHADE	43	M	17.09.2020	Positive
C30343	LAKSHAMI SHARAD ASAWALE	36	F	17.09.2020	Positive
C30342	BALU INDRU CHAUDHARI	65	M	17.09.2020	Negative
C30341	PRASHANT PANDURANG GAIKAR	26	M	17.09.2020	Negative
C30340	PRAMILA PANDURANG GAIKAR	58	F	17.09.2020	Negative
C30339	SHUBHANGI SHIVAJI ZUNZARRAO	47	F	17.09.2020	Positive
C30338	SHIVAJI PANDURANG ZUNZARRAO	50	M	17.09.2020	Positive
C30337	BHUSHAN HIRAMAN MUKANE	10	M	17.09.2020	Negative
C30336	KARAN SHIVAJI MUKANE	13	M	17.09.2020	Negative
C30334	SAVITA DHONDU VAGHE	45	F	17.09.2020	Negative
C30333	NAMDEV SHIVRAM SHIROSHI	65	M	17.09.2020	Positive
C30331	ROHIT UMAKANT GHOLHE	26	M	17.09.2020	Positive
C30330	BALKRUSHN HARI DESALE	50	M	17.09.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 17:45 pm
Date and time of reporting (dd/mm/yyyy)	17/09/2020 15:41 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30329	DNYANESHWAR BABAN BHOIR	63	M	17.09.2020	Positive
C30328	HIRAMAN BABAN MUKANE	56	M	17.09.2020	Negative
C30327	SHITAL SHIVAJI MUKANE	18	F	17.09.2020	Positive
C30326	SUVARNA SHIVAJI MUKANE	35	F	17.09.2020	Positive
C30325	BASANTI DILIP JAKHODIA	58	F	17.09.2020	Positive
C30324	SAMIKSHA SATISH CHAUDHARI	26	F	17.09.2020	Negative
C30323	SUREKHA DINKAR PAWAR	60	F	17.09.2020	Positive
C30322	URMILA JAGLAKISHOR JAKHODIA	58	F	17.09.2020	Positive
C30321	BHARAT DATTATRAY DALAVI	35	M	17.09.2020	Positive
C30320	VANITA BHARAT DALAVI	30	F	17.09.2020	Negative
C30319	USHA SANTOSH CHAUDHARI	45	F	17.09.2020	Positive
C30318	AARTI KAILAS JADHAV	20	F	17.09.2020	Negative
C30317	GANESH SUBHASH JAMBHARE	41	M	17.09.2020	Negative
C30316	RUPESH KASHINATH GHUDE	25	M	17.09.2020	Negative
C30315	PUNAM DINESH JAKHODIA	34	F	17.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
RT-PCR Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	14/09/2020 17:45 pm
Date and time of reporting (dd/mm/yyyy)	17/09/2020 15:41 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CIVIL HOSPITAL THANE (MURBAD)

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C30314	SHANTABAI BABAN MUKANE	65	F	17.09.2020	Negative
C30313	MUKTA HIRAMAN MUKANE	48	F	17.09.2020	Negative
C30312	VEDANT SHARAD ASAWALE	17	M	17.09.2020	Inconclusive (Repeat Fresh Sample)
C30311	DEEPAK DEELIP JAKHODIA	58	M	17.09.2020	Negative
C30310	CHETAN MADHUKAR THORAT	38	M	17.09.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)