



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	04/07/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	06/07/2020 15:46 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12978	NIVRUTTI JADHAV, 11024	39	M	06.07.2020	Negative
C12980	ATISH NARESH MANERA 11036	24	M	06.07.2020	Negative
C12981	AARUSH RAKESH AINKAR 10957	1.5	M	06.07.2020	Negative
C12982	AISHWARYA RAKESH AINKAR 10955	23	F	06.07.2020	Negative
C12983	RAKESH ARUN AINKAR 10956	27	M	06.07.2020	Negative
C12984	PANKAJ DEVIDAS SURYAVANSHI 11049	24	M	06.07.2020	Negative
C12985	MEENA ARUN AINKAR 10965	50	F	06.07.2020	Negative
C12986	ADARSH SHAMBHU SINGH 11028	24	M	06.07.2020	Negative
C12987	SUHAS DASHARTH HANDE 11030	33	M	06.07.2020	<b>Positive</b>
C12988	ANITA BABLOO GAUD 11034	26	F	06.07.2020	Negative
C12989	DIPA SANTOSH HADAL 11035	26	F	06.07.2020	Negative
C12990	RUPALI SIDDHARTH PAGARE 11037	30	F	06.07.2020	<b>Positive</b>
C12991	FAROOQ ABDUL GAFAR MEMON 11046	59	M	06.07.2020	Negative
C12992	SHAHJAHAN SHAIKH 37173	65	M	06.07.2020	<b>Positive</b>
C12993	DNYANDEV HARIBHAU BHAWARI 11038	38	M	06.07.2020	Negative

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR

  
Verified by  
Dr. Shalmali Dharma Ph. D

  
Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)



**NATIONAL COVID-19 LABORATORY**  
**DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.**  
**COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601**  
**Test Report**

Date & Time of receipt of specimen (dd/mm/yyyy)	04/07/2020 13:00 pm
Date and time of reporting (dd/mm/yyyy)	06/07/2020 15:46 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C12994	ALPANA VISHAL GUPTA 11045	25	F	06.07.2020	Negative
C12995	AARTI MANISH PARMAR 10151	30	F	06.07.2020	Negative
C12996	PRATIBHA RAMAKANT MALVE 11048	40	F	06.07.2020	Positive
C12997	UMESH JAYRAM VATAS 10523	19	M	06.07.2020	Positive
C12998	HIRASINGH BHUVANSINGH ADHIKARI 10407	43	M	06.07.2020	Positive

**Note:** The results relate only to the specimens tested and should be correlated with clinical findings.  
**Interpretation guidance:-**

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.\*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by  
Dr. Shalmali Dharma Ph. D



Checked and Approved by  
Dr. Milind Ubale M.D. (Microbiology)