

NATIONAL COVID-19 LABORATORY DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.

COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601

Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	06/08/2020 12:10 pm		
Date and time of reporting (dd/mm/yyyy)	06/08/2020 17:47 pm		
SPECIMEN DETAILS	Nasopharyngeal Swab		
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD		

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C20238	MANGAL RAJENDRA POKHARKAR 13687/A - 1335	37	F	06.08.2020	Negative
C20241	PALLAVI VISHNU NEMADE 13689/A - 1332	31	F	06.08.2020	Negative
C20242	AVINASH A. SHIGVAN 13724/A - 1379	35	М	06.08.2020	Positive
C20243	SAVITA S. PARDESI 13719/A - 1376	45	F	06.08.2020	Negative
C20244	ANIL S. FAGARE 13720/A - 1377	40	M	06.08.2020	Negative
C20245	VIJAY R. CHODARY 13325/A - 1371	33	М	06.08.2020	Negative
C20246	ZEENAT FIROZ MANIHAR 13706/A - 1360	24	F	06.08.2020	Negative
C20247	DEVENDRA NARENDRA CHANDARE 1358/A - 1358	21	М	06.08.2020	Negative
C20248	RAVINDRA NAMDEV KANGANE 13705/A - 1356	29	M	06.08.2020	Negative
C20249	HARIDAS NARAYAN JOSHI 13703/A - 1354	61	М	06.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings. Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a a gap of 2 4 days after the collection of the first specimen foradditional
 testing if required.*
- A positive alternate pathogen does not necessarily ruleout either, as little is yet known about the role ofcoinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General,ICMR

Shauro Verified by

Dr. Shalmali Dharma Ph. D

Checked and Approved by Dr. Milind Ubale M.D. (Microbiology)