



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	15/08/2020 17:00 pm
Date and time of reporting (dd/mm/yyyy)	16/08/2020 17:56 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	KISAN NaGAR HEALTH CENTER

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22003	SATYASINGH NEBHI 128/B-1459	72	M	16.08.2020	Negative
C22004	DR MAYUR VILAS MARKAD B-1458	24	M	16.08.2020	Negative
C22005	KRUSHNA YADAVRAO TALWARE B-1460	60	M	16.08.2020	Positive
C22006	SUGRIVPRASAD JAGGA KHARVAR B-1454	66	M	16.08.2020	Positive
C22007	PRAVIN J JADHAV B-11490	50	M	16.08.2020	Positive
C22008	ROHAN P JADHAV B-1492	20	M	16.08.2020	Positive
C22009	PALLAVI P JADHAV B-1491	48	F	16.08.2020	Inconclusive (Repeat Fresh Sample)
C22010	NEHA PARAB B-1494	29	F	16.08.2020	Positive
C22011	ISHITA KAMBLI B-1499	17	F	16.08.2020	Positive
C22012	RAJESH BABAJI KHEDEKAR B-1497	45	M	16.08.2020	Negative
C22013	SHRADDHA SANJAY PARAB B-1496	50	F	16.08.2020	Positive
C22014	MARUTI GOVIND GOVILKAR B-1501	39	M	16.08.2020	Positive
C22015	VIJAY L. KHARAT B - 1502	49	M	16.08.2020	Inconclusive (Repeat Fresh Sample)
C22016	TRISHA BANDELKAR B - 1503	07	F	16.08.2020	Positive
C22017	RAMCHANDRA BANDELKAR B - 1504	40	M	16.08.2020	Positive

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)