



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/08/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	20/08/2020 12:56 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22548	VISHAL VIKAS RANDIVE 14413/A - 2036	37	M	20.08.2020	Negative
C22549	URVASHI VISHAL RANDIVE 14412/A - 2037	39	F	20.08.2020	Negative
C22550	DILIP HARI SHIVKAR 14416/A - 2038	40	M	20.08.2020	Positive
C22551	KRUSHNA VASANT BUCHADE 14415/A - 2039	29	M	20.08.2020	Negative
C22552	GOPINATH DAMODAR MHATRE 14417/A - 2040	38	M	20.08.2020	Negative
C22553	MADAN GOVIND BAWASKAR 15970/A - 2042	58	M	20.08.2020	Negative
C22554	BINDARKUMAR BALKHAR SINGH 14428/A - 2054	33	M	20.08.2020	Negative
C22555	SATISH SHIRKAR 14439/A - 2055	31	M	20.08.2020	Negative
C22556	SALONI SATISH SHIRKAR 14440/A - 2056	32	F	20.08.2020	Negative
C22557	SUMIT VISHWAKARMA 14429/A - 2057	21	M	20.08.2020	Negative
C22558	RINKU DEVI SUBASH GUPTA 14427/A - 2061	27	F	20.08.2020	Negative
C22559	GEETANJALI GANPAT MUNJ 14443/A - 2062	51	F	20.08.2020	Negative
C22560	SANDIP SADASHIV WADEKAR 14445/A - 2064	45	M	20.08.2020	Negative
C22561	PRAPTI SANDIP WADEKAR 14446/A - 2065	38	F	20.08.2020	Negative
C22562	RAM ASHISH NIRMOHI JAISWAR 14448/A - 2068	23	M	20.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR


Verified by
Dr. Shalmali Dharma Ph. D


Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)



NATIONAL COVID-19 LABORATORY
DEPARTMENT OF MICROBIOLOGY, R.G.M.C. C.S.M.H.
COVID 19 TESTING FACILITY: C. R. Wadia Dispensary, Thane 400601
Test Report

Date & Time of receipt of specimen (dd/mm/yyyy)	19/08/2020 12:05 pm
Date and time of reporting (dd/mm/yyyy)	20/08/2020 12:56 pm
SPECIMEN DETAILS	Nasopharyngeal Swab
NAME OF QUARANTINE CENTER / HOSPITAL	CSMH OPD

Sample ID	Patient Name	Age (Yrs)	Gender	Date of sample testing	SARS-CoV 2
C22563	AASHMITA ANANT TALAKAR 14454/A - 2075	51	F	20.08.2020	Negative
C22564	AMEY ANANT TALAKAR 14456/ A- 2071	14	M	20.08.2020	Negative
C22565	ANUSHRE ANANT TALAKAR 14455/ - A 2076	16	F	20.08.2020	Negative
C22566	ANANT SHANTARAM TALAKAR 14453/A - 2077	52	M	20.08.2020	Negative
C22567	IRSHAD KHAN 680/A - 2074	13	M	20.08.2020	Negative
C22568	RANJANA SHAM BHOIR 14462/A - 2081	46	F	20.08.2020	Negative
C22569	CHETAN HARPRAKASH PATEL 14470/A - 2085	34	M	20.08.2020	Negative
C22570	DHANRAJ NITIN SHAH 14469/ A- 2086	48	M	20.08.2020	Negative
C22571	AMJAD YUSUF PATHAN 14468/ A- 2087	40	M	20.08.2020	Negative
C22572	JAYPAL BHANSINGH DULGAG 14467/A - 2088	40	M	20.08.2020	Negative
C22573	ROHIT PARASHURAM KOYANDE 14474	26	M	20.08.2020	Negative
C22574	KAPIL S. PAWAR 14464	40	M	20.08.2020	Positive
C22575	ROOPA SUDHAKAR GUPTA 14450	23	F	20.08.2020	Negative
C22576	SOHAM SATISH SHIRKAR 14441	7	M	20.08.2020	Negative

Note: The results relate only to the specimens tested and should be correlated with clinical findings.
Interpretation guidance:-

- Testing of referred clinical specimens was considered on the basis of request / referral received from / through State Surveillance Officer (SSO) of concerned State Integrated Disease Surveillance Programme (IDSP)/any other health care facility affirming requirements of the case definition/s.
- A positive test result is only tentative, and will be reconfirmed by retesting.
- Repeat sampling and testing of lower respiratory specimen is strongly recommended in severe or progressive disease.
- The repeat specimens may be considered after a gap of 2 – 4 days after the collection of the first specimen for additional testing if required.*
- A positive alternate pathogen does not necessarily rule out either, as little is yet known about the role of coinfections.
- Please note that these results are not to be used for any thesis or presentations or for Publication in any Journal without the prior permission of the Director General, ICMR



Verified by
Dr. Shalmali Dharma Ph. D



Checked and Approved by
Dr. Milind Ubale M.D. (Microbiology)